





## Pressure Injectable Arrowg<sup>†</sup>ard Blue Plus<sup>®</sup> Three-Lumen CVC

## **REF CDC-45703-XPN1A**

7 Fr. 3 Lumen 20 cm catheter length 032 spring-wire quide



## Contents:

- 1: Arrowg<sup>†</sup>ard Blue Plus<sup>®1</sup> Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm, Pressure Injectable
- 1: Spring-Wire Guide, Nitinol, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow® GlideWheel™ Wire Advancer
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopague over 20 Ga. RW Introducer Needle
- 1: Injection Needle: SafetyGlide™ 25 Ga. x 1" (2.54 cm)
- 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- 1: Pressure Transduction Probe
- 1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- 1: Injection Needle: SafetyGlide™2 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- 1: Syringe: 3 mL Luer-Lock
- 1: Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm


- 3: 10 mL Luer-Lock Pre-Filled Saline Syringe
- 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
- 2: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®3 One-Step Solution with Hi-Lite Orange™ Tint
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SharpsAway® Disposal Cup
- 1: SharpsAway II™ Locking Disposal Cup
- 1: Maximal Barrier Drape™ with 4" fenestration
- 1: Needle Holder
- 1: Safety Scalpel: #11
- 1: Checklist/CLIP Sheet
- 1: Flow Rate Information Card with Injection Log
- 1: Sterile Procedure Sign
- 1: Medication Label: 1% Lidocaine

- 2: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Surgical Apparel: Impervious Gown
- 1: Dressing: I.V. Advanced 8.5 cm x 11.5 cm
- 1: Dressing: BIOPATCH®4
- 1: Transducer Cover: 14 cm x 147 cm
- 1: Surgical Apparel: Mask with Eye Shield
- 1: Surgical Apparel: Bouffant Cap
- 1: Suture: 3-0 Silk with Curved Needle
- 1: Tubing<sup>±</sup>: 20" (50 cm) Extension
- 1: HemoHopper® Fluid Receptacle

Contraindications: The Arrowgard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs (refer to product instructions for references).

Warning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.



Catheter Cross Section

- Gravity **MAX Pressure** Priming Flow Injection Volume\* Rate† Flow Rate‡ Lumen (mL) (mL/hr) (mL/sec) Distal (16 Ga.) 0.42 2750 10 Medial (18 Ga.) 0.38 1100 5 Proximal (18 Ga.) 0.40 1200 5
- \* Priming volumes are approximate and are done without accessories.
- † Based on 100 cm head height.
- ‡ Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.





\* Precaution: Contains Phthalate: DEHP



Store between 20-25°C (68-77°F)

C-45703-251A (03/20)

<sup>&</sup>lt;sup>1</sup>Licensed under US Patent Nos. 6,706,024; 6,872,195 and 7,329,412.

<sup>&</sup>lt;sup>2</sup>A trademark of Becton, Dickinson and Company.

<sup>&</sup>lt;sup>3</sup>A registered trademark of CareFusion or one of its subsidiaries.

<sup>&</sup>lt;sup>4</sup>A registered trademark of Johnson & Johnson Corporation.