



Arterial Catheterization Kit

REF NA-04020-X1A

20^{Ga.} | 4.45 cm catheter length | .018 inch dia. spring-wire guide

Contents:

- 1: Catheter: 20 Ga. x 4.45 cm Radiopaque Polyurethane over 22 Ga. TW Introducer Needle with Integral .018" (0.46 mm) dia. Spring-Wire Guide
- 1: Injection Needle: SafetyGlide™¹ 25 Ga. x 1" (2.54 cm)
- 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- 1: Syringe: 3 mL Luer-Lock
- 1: 5 mL 1% Lidocaine HCl Solution
- 1: 3 mL Applicator 2% CHG and 70% IPA ChloroPrep®² One-Step Solution with Hi-Lite Orange™ Tint (non-sterile solution)
- 1: Wing Clip: Suture
- 1: SharpsAway® Disposal Cup
- 1: SharpsAway II™ Locking Disposal Cup
- 1: Drape: 36" x 41" (91 cm x 104 cm) with 3" x 5" (8 cm x 13 cm) fenestration
- 1: Towel: 13" x 18" (33 cm x 46 cm)
- 1: Needle Holder
- 1: Safety Scalpel: #11

- 1: Checklist Sheet
- 1: Medication Label: 1% Lidocaine
- 4: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 4: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Dressing: Tegaderm®³ 10 cm x 12 cm
- 1: Dressing: BIOPATCH®⁴
- 1: Surgical Apparel: Bouffant Cap
- 1: Surgical Apparel: Mask with Eye Shield
- 1: Suture: 3-0 Silk with Curved Needle
- 1: Tubing: 6" Extension with One-Way Stopcock

¹ A trademark of Becton, Dickinson and Company.
² A registered trademark of CareFusion or one of its subsidiaries.
³ A registered trademark of 3M Company
⁴ A registered trademark of Johnson & Johnson Corporation.



Rx only.

Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

California Prop. 65

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Arrow International provides the enclosed medication label for your convenience. Please ensure that this label is applied to the correct syringe and corresponding medication.

Warning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.

Arrow International, Inc.
 Subsidiary of Teleflex Incorporated
 2400 Bernville Road
 Reading, PA 19605 USA

Teleflex®
www.teleflex.com

IA-04020-141G (06/18)



Arterial Catheterization Kit

REF NA-04020-X1A

20^{Ga.} | 4.45 cm catheter length | .018 inch dia. spring-wire guide