## Priming Volume: 0.49 mL

Priming volumes are approximate and are done without the injection cap. Injection cap priming volume is 0.17 mL.

## Flow Rate: 568 mL/hr

Flow rate values are approximate and are determined using deionized water at 100 cm head height.

## Pump Flow Rate: 4400 mL/hr

Pump flow rates determined at maximum pump pressure of 10 psig.

- Indwelling Catheter: 4 Fr. x 55 cm Radiopaque Polyurethane with Blue FlexTip®, T-Port Connector<sup>††</sup>, Integral Extension Line, Extension Line Clamp, Injection Site Cap, Integral Suture Wing, Contamination Guard and Placement Wire
- Peel-Away Catheter: 15 Ga. x 1-1/4" (3.18 cm) Radiopaque over 17 Ga. TW Introducer Needle
- Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Syringe: 10 mL Luer-Slip
- Injection Site Cap
- SecondSite™ Adjustable Hub: Catheter Clamp
- SecondSite™ Adjustable Hub: Fastener
- SharpsAway® Disposal Cup Towel: 17" x 19"
- Drape: 24" x 36"
- Drape: 24" x 36" with 4" fenestration
- Patient ID Card
- Chart Sticker
- Patient Information Booklet
- Paper Tape Measures
- Tourniquet
- Dressing: OpSite®1 14 cm x 10 cm Gauze Pads: 2" x 2" Gauze Pads: 4" x 4"

- Surgical Apparel: Masks
- Dressing: STATLOCK®2 Catheter Stabilization Device
- Tape: Steri-Strip®3
- $^{\rm 1}$  A registered trademark of T.J. Smith & Nephew, Limited.
- A registered trademark of C. R. Bard, Inc.
  A registered trademark of 3M Company.

Rx only. Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Sterile. Do not reuse — do not resterilize. Sterilized by ethylene oxide. Keep away from sunlight. Keep dry. Do not use if package has been previously opened or damaged. Not made with natural rubber latex. Consult instructions for use. Fluid path components are non-pyrogenic.

†Precaution Contains Phthalate: DEHP.

























