

Two-Lumen Peripherally Inserted Central Catheter Kit with Blue FlexTip® Catheter and Placement Wire

REF PK-01552-W

5 Fr. 2 Lumen 55 cm catheter length



Contents:

- Two-Lumen Indwelling Catheter: 5 Fr. x 55 cm Radiopaque Polyurethane with Blue FlexTip®, T-Port Connector, Extension Line Clamps, Contamination Guard and Placement Wire
- Peel-Away Sheath: 14 Ga. x 1-1/4" (3.18 cm) Radiopaque over 15 Ga. TW Introducer Needle
- Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Syringe: 10 mL Luer-Slip 1:
- Skin Protectant Prep Pad (non-sterile solution) 1:
- 3 mL Applicator 2% CHG and 70% IPA Chlora Prep $^{\circ 1}$ One-Step Solution with Hi-Lite Orange[™] Tint (non-sterile solution)
- Dust Cap: Non-Vented
- SecondSite[™] Adjustable Hub: Fastener 1:
- SecondSite™ Adjustable Hub: Catheter Clamp 1:
- SharpsAway® Disposal Cup 1:
- Towel 1:
- 1: Towel: 24" x 36" (61 cm x 91 cm)
- Drape: 24" x 36" (61 cm x 91 cm) with 4" (10 cm) fenestration 1:
- 1: Forceps

- Patient ID Card
- **Chart Sticker**
- Patient Information Booklet
- Dressing: OpSite®2 14 cm x 10 cm 1:
- Paper Tape Measure 2:
- Tourniquet
- Gauze Pad: 2" x 2" (5 cm x 5 cm)
- Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Dressing: STATLOCK®3 Catheter Stabilization Device 1:
- Surgical Apparel: Mask
- Surgical Tape: Transpore™ 1" x 54" Roll

¹A registered trademark of CareFusion or one of its subsidiaries.

²A registered trademark of T.J. Smith & Nephew, Limited.

³A registered trademark of C. R. Bard, Inc.

Rx only. Warning: Read all package insert warnings, cautions and instructions prior to use. Failure to do so may result in severe patient injury or death.

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

🕂 California Prop. 65

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: This device is contraindicated wherever there is presence of device related infections or presence of thrombosis in the intended insertion vessel or catheter pathway. Clinical assessment of patient must be completed to ensure no contraindications




















Not made with natural rubber latex



Store between 20 - 25°C (68 - 77°F). Avoid freezing and excessive heat above 40°C (104°F).



Catheter Cross Section

Lumen	Priming Volume* (mL)	Flow Rate [†] (mL/hr)	Pump Flow Rate [‡] (mL/hr)
Distal (18 Ga.)	0.40	575	2450
Proximal (20 Ga.)	0.40	160	1025

Priming volumes are approximate and are done without accessories † Flow rates are done with normal saline, room temperature, 100 cm head height

and represent approximate flow capabilities.

Pump flow rates are determined at maximum pump pressure of 10 psig.

Manufacturer: Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-01552-103H (7/17)

ARROW



Two-Lumen Peripherally Inserted Central Catheter Kit with Blue FlexTip® Catheter and Placement Wire