





Central Venous Catheterization Kit

20 cm catheter length .03

Contents: -

- Indwelling Catheter: 16 Ga. x 20 cm Radiopaque Polyurethane with Integral Suture Wing Spring-Wire Guide: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End "J" Tip on Other)
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
 1: Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
 1: Injection Needle: 25 Ga. x 1" (2.54 cm)

- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Syringe: 5 mL Luer-Slip

- 1: Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm 1: 5 mL 1% Lidocaine HCI Solution and Alcohol Prep 1: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®¹ One-Step Solution with Hi-Lite Orange™ Tint (non-sterile solution)

 1: SecondSite™ Adjustable Hub: Fastener

 1: SecondSite™ Adjustable Hub: Catheter Clamp

 1: SharpsAway® Disposal Cup

 1: Drape: 18" x 26" (46 cm x 66 cm) with 3" (7.6 cm) fenestration

 1: Scalpel: #11

 3: Gauze Pad: 2" x 2" (5 cm x 5 cm)

- 4: Gauze Pad: 4" x 4" (10 cm x 10 cm)
 1: Suture: 3-0 Braided Silk with Straight Needle


¹A registered trademark of CareFusion or one of its subsidiaries.

 ${\sf Rx}$ only. Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

⚠ California Prop. 65
Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.



Lumen	Priming Volume* (mL)	Flow Rate† (mL/hr)
Distal (16 Ga.)	0.22	3400

- Priming volumes are approximate and are done without accessories.
 Flow rates are done with normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.





















Manufacturer: Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-04210-105A (2020/02)

REF AK-04210



20 catheter length



