





## **Vessel Catheterization Kit**



## **Contents:**

- Indwelling Catheter: 20 Ga. x 12 cm Radiopaque Polyurethane with Integral Suture Wing Spring-Wire Guide: .025" (0.64 mm) dia. x 13-3/4" (35 cm) (Straight Soft Tip on One End "J" Tip on Other)
- 1:
- Catheter: 20 Ga. x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. TW Introducer Needle Injection Needle: 25 Ga. x 1" (2.54 cm) Injection Needle: 18 Ga. x 1-1/2" (3.81 cm) 1:
- 1: 1:
- 1:
- Introducer Needle: 20 Ga. x 2" (5.08 cm) XTW Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) Syringe: 3 mL Luer-Lock
- 1:
- 1:
- 1:
- Syringe: 5 mL Luer-Slip Tissue Dilator: 4 Fr. (1.35 mm) x 7.6 cm Tissue Dilator: 4 Fr. (1.35 mm) x 4.1 cm 1:
- 1:
- 5 mL 1% Lidocaine HCI Solution and Alcohol Prep 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®1 One-Step Solution with Hi-Lite Orange™ Tint (non-sterile solution) 1:
- Int (non-sterile solution)
  Drape: 18" x 26" (46 cm x 66 cm) with 3" (7.6 cm) fenestration
  Scalpel: #11
  Gauze Pad: 2" x 2" (5 cm x 5 cm)
  Suture: 3-0 Braided Silk with Straight Needle

- <sup>1</sup>A registered trademark of CareFusion or one of its subsidiaries.

Rx only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. A California Prop. 65 Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Sterilized using ethylene oxide unless otherwise indicated in the contents list. Fluid path components are non-pyrogenic.

i



Distal (20 Ga.) 0.12 1899 Priming volumes are approximate and are done without accessories.
 Flow rates are done with normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.

Lumen

Priming

Volume

(mL)

Flow

Rate<sup>†</sup>

(mL/hr)







\*







Manufacturer: Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



**REF AK-04550-S Vessel Catheterization Kit** Vesse 2<sup>cm</sup><sub>catheter</sub> length inch dia. 20 spring-wire auide

