

REF AK-04700

ARROW®



Central Venous Catheterization Kit

14 Ga. | 20 cm catheter length | .032 inch dia. spring-wire guide

Contents:


- 1: Indwelling Catheter: 14 Ga. x 20 cm Radiopaque Polyurethane with Side Holes, Integral Suture Wing
- 1: Spring-Wire Guide: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other)
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- 1: Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
- 1: Injection Needle: 25 Ga. x 1" (2.54 cm)
- 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- 2: Syringe: 5 mL Luer-Slip
- 1: Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SharpsAway® Disposal Cup
- 1: Drape: 18" x 26" (46 cm x 66 cm) with 3" (7.6 cm) fenestration
- 1: Scalpel: #11
- 2: Prep Sponge Swab
- 3: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 4: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Suture: 3-0 Braided Silk with Straight Needle
- 1: Tray: Prep

Rx only. **Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.**

⚠ California Prop. 65

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.



| Lumen | Priming Volume* (mL) | Flow Rate† (mL/hr) |
|-----------------|----------------------|--------------------|
| Distal (14 Ga.) | 0.35 | 6900 |

* Priming volumes are approximate and are done without the injection cap. Injection priming volume is 0.17 mL.
 † Flow rates are done with normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.



STERILE EO



Not made with natural rubber latex

REF AK-04700

ARROW®



Central Venous Catheterization Kit

14 Ga. | 20 cm catheter length | .032 inch dia. spring-wire guide

Manufacturer:
Arrow International, Inc.
Subsidiary of Teleflex Incorporated
2400 Bernville Road
Reading, PA 19605 USA

Teleflex®
www.teleflex.com

IK-04700-105A (2020/04)