



ARROWgard Blue® Two-Lumen Hemodialysis Catheterization Kit for High Volume Infusions

REF AK-22122-F

12 Fr. 2 Lumen 16 cm catheter length .035 spring-wire guide

Contents: _

- Two-Lumen Indwelling Catheter: 12 Fr. x 16 cm Radiopaque Polyurethane with Blue FlexTip®, ARROWg[†]ard® Antimicrobial Surface Treatment¹, **Extension Line Clamps**
- Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer
- Injection Needle: 25 Ga. x 1" (2.54 cm)
- Local Anesthetic Component
- Pressure Transduction Probe
- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- Syringe: 3 mL Luer-Lock
- Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm

- 5 mL 1% Lidocaine HCl Solution
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution with Hi-Lite Orange™ Tint (non-sterile solution)
- Dust Cap: Non-Vented
- SharpsAway® Disposal Cup
- Drape: 24" x 36" (61 cm x 91 cm) with 4" (10 cm) fenestration
- Scalpel: #11
- Gauze Pad: 2" x 2" (5 cm x 5 cm)
- Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Suture: 3-0 Braided Silk with Straight Needle

¹Licensed under US Patent No. 6,706,024.

²A registered trademark of CareFusion or one of its subsidiaries.





















 ${\sf Rx}$ only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.


Sterilized using ethylene oxide unless otherwise indicated in the contents list.

!\ California Prop. 65

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term hemodialysis or for use in patients with thrombosed vessels. The ARROWg ard Blue antimicrobial surface catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs (refer to product instructions for references).



atheter	Cross	Section			


Lumen	Priming Volume* (mL)	Flow Rate† (mL/min)	Venous Pressure Setting (mmHg)
Distal (12 Ga.)	1.40	220	100
		370	200
Proximal (12 Ga.)	1.30	220	100
		370	200

 Priming volumes are approximate and are done without accessories.
Blood flow rates are approximate and were determined by varying the venous pressure setting from 100 to 200 mmHg in an in vitro experiment using blood analog solution.

Manufacturer: Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-22122-101N (9/17)





16 cm catheter length .035 inch dia. spring-wire guide

