







## Arrowg+ard Blue® CVC Kit

16 Ga. 20 cm catheter length l

- Indwelling Catheter: 16 Ga. x 20 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard®
   Antimicrobial Surface Treatment¹, Integral Extension Line, Extension Line Clamp, Integral Suture Wing
   Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on
- Other) with Arrow Advancer
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle 1: Injection Needle: 25 Ga. x 1" (2.54 cm) 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)

- Pressure Transduction Probe
   Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow\* Raulerson Spring-Wire Introduction
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- Syringe: 3 mL Luer-Lock
  Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm
- 3 mL 1% Lidocaine HCl Solution and Alcohol Prep 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution with Hi-Lite Orange™ Tint (non-sterile solution)

- (non-sterile solution)

  1: Dust Cap: Non-Vented

  1: SecondSite™ Adjustable Hub: Fastener

  1: SecondSite™ Adjustable Hub: Catheter Clamp

  1: SharpsAway II™ Locking Disposal Cup

  1: SharpsAway® Disposal Cup

  1: Drape: 41" x 50" with 4" fenestration, with adhesive

  1: Safety Scalpel: #11

 ${\sf Rx}$  only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

⚠ California Prop. 65
Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Sterilized using ethylene oxide unless otherwise indicated in the contents list. Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfadrugs (refer to product instructions for references).

- 3: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Suture: 3-0 Braided Silk with Straight Needle

Licensed under US Patent No. 6,706,024. <sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries.



Lumen	Priming Volume* (mL)	Gravity Flow Rate <sup>†</sup> (mL/hr)		
Distal (16 Ga.)	0.43	3650		

- Priming volumes are approximate and are done without accessories. Flow rates are done with deionized water or normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.





















Manufacturer Arrow International, Inc Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-24301-110A Rev. 1 (2020-07)









