







Pediatric Two-Lumen Central Venous Catheterization Kit with Blue FlexTip® Arrowg+ard Blue® Catheter



3 cm catheter length length

spring-wire

- 1: Two-Lumen Indwelling Catheter: 4 Fr. x 13 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment¹, Extension Line Clamps

 Spring-Wire Guide: .018" (0.46 mm) dia. x 17-3/4" (45 cm) PTFE-Coated (Straight Soft Tip on One End - "J"
- Tip on Other)
- Injection Needle: 25 Ga. x 1" (2.54 cm) Introducer Needle: 21 Ga. x 1-1/2" (3.81 cm) TW
- Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Catheter: 22 Ga. x 1-3/4" (4.45 cm) Radiopaque over 25 Ga. RW Introducer Needle with 5 mL Luer-Slip
- Injection Needle: 25 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- Syringe: 3 mL Luer-Lock Tissue Dilator: 5 Fr. (1.8 mm) x 7.5 cm
- Tissue Dilator: 5 Fr. (1.8 mm) x 4.1 cm
- 3 mL 1% Lidocaine HCl Solution and Alcohol Prep 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution with Hi-Lite Orange™ Tint
- Dust Cap: Non-Vented

- Dust Cap: Non-Vented
 SecondSite™ Adjustable Hub: Catheter Clamp
 SecondSite™ Adjustable Hub: Fastener
 SharpsAway® Disposal Cup
 Drape: 18" x 26" (46 cm x 66 cm) with 3" (7.6 cm) fenestration
- Scalpel: #11 Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)

Rx only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

\(\triangle \) California Prop. 65
Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs (refer to product instructions for references).

- 1: Suture: 3-0 Braided Silk with Straight Needle
- ¹Licensed under US Patent No. 6,706,024. ²A registered trademark of CareFusion or one of its subsidiaries

|--|

.umen	Priming Volume* (mL)	Gravity Flow Rate [†] (mL/hr)
Distal (22 Ga.)	0.26	640
Proximal (22 Ga.)	0.30	290

Priming volumes are approximate and are done without accessories. Flow rates are done with deionized water or normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.





















Manufacturer Arrow International, Inc Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-24402-135A (2020/04)

REF AK-24402







