







## Arrowg+ard Blue® Two-Lumen Hemodialysis **Catheterization Kit for High Volume Infusions**

cm catheter

## **Contents:**

- 1: Two-Lumen Indwelling Catheter: 14 Fr. x 20 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment1, Extension Line Clamps
- Spring-Wire Guide, Marked: .038" (0.97 mm) dia. x 27-1/2" (70 cm) (Straight Soft Tip on One
- End "J" Tip on Other) with Arrow Advancer Injection Needle: 25 Ga. x 1" (2.54 cm)
- Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Pressure Transduction Probe
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire
- Introduction Syringe
- Syringe: 3 mL Luer-Lock
- Tissue Dilator: 14 Fr. (4.7 mm) x 14 cm
- 1: Tissue Dilator: 16 Fr. (5.3 mm) x 11.4 cm 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep ®2 One-Step Solution with Hi-Lite Orange™
- Dust Cap: Non-Vented SharpsAway® Disposal Cup
- Drape: 24" x 36" (61 cm x 91 cm) with 4" (10 cm) fenestration
- Needle Holder Scalpel: #11
- Gauze Pad: 2" x 2" (5 cm x 5 cm) Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Suture: 3-0 Silk with Curved Needle


<sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries.

Rx only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

⚠ California Prop. 65
Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term hemodialysis or for use in patients with thrombosed vessels. The Arrowg+ard Blue antimicrobial surface catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs (refer to product instructions for



Lumen	Volume* (mL)	Rate† (mL/min)	Pressure Setting (mmHg)
Distal (10 Ga.)	1.70	250	100
		400	170
Proximal (10 Ga.)	1.50	250	120
		400	190

† Venous Pressure settings are approximate and were determined by varying the blood flow rates from 250 to 400 mL/min in an in vitro experiment using blood analog solution.





















Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



IK-25142-110A, Rev. 01 (2020-12)







