



ARROWg⁺ard Blue[®] Two-Lumen CVC Kit

REF AK-42702-CDC

7 Fr. 2 Lumen 16 cm catheter length 025 spring-wire guide

Contents:

- Two-Lumen Indwelling Catheter: 7 Fr. x 16 cm Radiopaque Polyurethane with Blue FlexTip®, ARROWg[†]ard® Antimicrobial Surface Treatment¹, Extension Line
- Spring-Wire Guide, Marked: .025" (0.64 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- Catheter: 20 Ga. x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. TW Introducer
- Injection Needle: 25 Ga. x 1" (2.54 cm)
- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) RW 1:
- 1: **Local Anesthetic Components**
- **Pressure Transduction Probe**
- Introducer Needle: 20 Ga. x 1-1/2" (3.81 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe

All contents sterile unless otherwise indicated. Fluid path components are non-pyrogenic

Syringe: 3 mL Luer-Lock

- Tissue Dilator
- 1: 5 mL 1% Lidocaine HCl Solution
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution with Hi-Lite Orange[™] Tint
- Dust Cap: Non-Vented
- SecondSite™ Adjustable Hub: Fastener
- SecondSite[™] Adjustable Hub: Catheter Clamp
- SharpsAway II™ Locking Disposal Cup
- Drape: 41" x 55" with 4" fenestration
- Safety Scalpel: #11 1:
- Gauze Pad: 2" x 2" (5 cm x 5 cm)
- Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Suture: 3-0 Braided Silk with Straight Needle

¹Licensed under US Patent No. 6,706,024.

²A registered trademark of CareFusion or one of its subsidiaries.

Rx only. Warning: Read all package insert warnings, precautions and instructions prior to use Contraindications: The ARROWgtard Blue® antimicrobial catheter technology is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs (refer to product instructions for references). Warning: This product contains a chemical known to the State of California to cause cancer, birth



Caution



Failure to do so may result in severe patient injury or death.







Sterilized by ethylene oxide








package is damaged



natural rubber latex



Store between 20 - 25°C (68 - 77°F).



Lumen	Priming Volume* (mL)	Gravity Flow Rate [†] (mL/hr.)
Distal (18 Ga.)	0.32	1500
Proximal (14 Ga.)	0.47	5000

Priming volumes are approximate and are done without accessories.

Manufacturer: Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-42702-102F (4/17)



ARROWg⁺ard Blue[®] Two-Lumen CVC Kit



Flow rates are done with deionized water or norma saline, room temperature, 100 cm head height and represent approximate flow capabilities.