







## Arrowg+ard Blue PLUS® Multi-Lumen CVC Kit



6 cm catheter length

- Multi-Lumen Indwelling Catheter: 7 Fr. x 16 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard Blue PLUS® Antimicrobial Surface Treatment¹, Extension Line Clamps
   Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End "J" Tip on
- Other) with Arrow Advancer
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
  1: Injection Needle: 25 Ga. x 1" (2.54 cm)
  1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)

- Pressure Transduction Probe
  Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

- Syringe: 3 mL Luer-Lock
- Syringe: 5 mL Luer-Slip
- 1: Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
- Insue Dilator. 3.5 Pr. (2.5 min) X 10.2 Cli 5 mL 1% Lidocaine HCI Solution and Alcohol Prep 3 mL Applicator 2% CHG and 70% IPA ChloraPrep® One-Step Solution with Hi-Lite Orange™ Tint (non-sterile solution)

Rx only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Contraindications: The Arrowg+ard Blue PLUS antimicrobial catheter is contraindicated for patients

with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs (refer to product instructions for references).


📤 California Prop. 65

- (non-sterile solution)
  3: Dust Cap: Non-Vented
  1: SecondSite™ Adjustable Hub: Fastener
  1: SecondSite™ Adjustable Hub: Catheter Clamp
  1: SharpsAway II™ Locking Disposal Cup
  1: SharpsAway® Disposal Cup
  1: Drape: 41" x 55" with 4" fenestration

Fluid path components are non-pyrogenic.

- 1: Safety Scalpel: #11
- 2: Gauze Pad: 2" x 2" (5 cm x 5 cm) 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Suture: 3-0 Braided Silk with Straight Needle

<sup>1</sup>Licensed under US Patent Nos. 6,706,024, 6,872,195 and 7,329,412. <sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries.



Catheter	Cross Section	

Lumen	Priming Volume* (mL)	Gravity Flow Rate <sup>†</sup> (mL/hr)
Distal (16 Ga.)	0.39	3400
Medial (18 Ga.)	0.35	1800
Proximal (18 Ga.)	0.37	1900

Priming volumes are approximate and are done without accessories.
 Flow rates are done with deionized water or normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.





















Manufacturer Arrow International, Inc Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA



IK-42703-110A (12/19)

**REF AK-42703-CDC** 







