REF AK-42703-AX



inch dia.

spring-wire auide

32

Contents

Multi-Lumen Indwelling Catheter: 7 Fr. x 16 cm Radiopaque Polyurethane with Blue FlexTip[®], Arrowg+ard Blue Plus[®] Antimicrobial Surface Treatment¹, Extension Line Clamps
 Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on

6^{cm}_{catheter} 0

- Other) with Arrow Advancer
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
 Injection Needle: SafetyGlide^{™2} 25 Ga. x 5/8" (1.60 cm) RW
 Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)

7^{Fr.} **3**^{Lumen}

- 1.
- Pressure Transduction Probe Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow[®] Raulerson Spring-Wire Introduction 1: Syringe
- 1: Injection Needle: SafetyGlide^{™2} 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- 1: 1:
- Syringe: 3 mL Luer-Lock Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
- 1.
- 3 mL 1% Lidocaine HCI Solution and Alcohol Prep 3 mL Applicator 2% CHG and 70% IPA ChloraPrep[®] One-Step Solution with Hi-Lite Orange[™] Tint
- 1:
- SecondSite™ Adjustable Hub: Fastener SecondSite™ Adjustable Hub: Catheter Clamp SharpsAway II™ Locking Disposal Cup SharpsAway® Disposal Cup Drape: 41" x 55" with 4" fenestration 1.
- 1:
- 1:
- 1:

- brape. +1 x 35 with + Tenestrate
 Safety Scalpel: #11
 Gauze Pad: 2" x 2" (5 cm x 5 cm)
 Gauze Pad: 4" x 4" (10 cm x 10 cm)


Rx only. Warning: Read all package insert warnings, cautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. Sterilized using ethylene oxide unless otherwise indicated in the contents list.

<u>∧</u> California Prop. 65 Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs (refer to product instructions for references).

2



¹Licensed under US Patent Nos. 6,706,024, 6,872,195 and 7,329,412. ²A trademark of Becton, Dickinson and Company. ³A registered trademark of CareFusion or one of its subsidiaries. ⁴A registered trademark of C. R. Bard, Inc.

Lumer Distal (1 Medial (Proxima Catheter Cross Section

I	Priming Volume* (mL)	Gravity Flow Rate [†] (mL/hr)	
16 Ga.)	0.38	3400	
(18 Ga.)	0.37	1800	
al (18 Ga.)	0.39	1900	
ing volumes are approximate and are done without acces			

ARROW

Priming volumes are approximate and are done without accessories.
 Flow rates are done with deionized water or normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.











(



Manufacturer Arrow International, Inc Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA

ARROW



IK-42703-115A (2020-04)

REF AK-42703-AX



Arrowg+ard Blue Plus® Multi-Lumen CVC Extreme Kit

