inch dia.

spring-wire quide



## **REF AK-45703**

## Contents: -

- 1: Multi-Lumen Indwelling Catheter: 7 Fr. x 20 cm Radiopaque Polyurethane with Blue FlexTip®, ARROWg<sup>+</sup>ard Blue PLUS® Antimicrobial Surface Treatment<sup>1</sup>, Extension Line Clamps
- Spring-Wire Guide: .032" (0.81 mm) dia. x 23-5/8" (60 cm) 1: (Straight Soft Tip on One End - "J" Tip on Other)
- Injection Needle: 25 Ga. x 1" (2.54 cm) 1:
- 1: Syringe: 3 mL Luer-Lock
- 1:
- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW 1:
- Introducer Needle with 5 mL Luer-Slip Syringe
- Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe 1:
- Local Anesthetic Components 1:
- 1: **Tissue Dilator**
- 1: 5 mL 1% Lidocaine HCI Solution

- 1: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®<sup>2</sup> One-Step Solution with Hi-Lite Orange<sup>™</sup> Tint
- Dust Cap: Non-Vented 3:
- SecondSite<sup>™</sup> Adjustable Hub: Fastener 1:
- SecondSite<sup>™</sup> Adjustable Hub: Catheter Clamp 1:
- SharpsAway® Disposal Cup 1:
- Drape: 24" x 36" with 4" fenestration 1:

7<sup>Fr.</sup> 3<sup>Lumen</sup> 20<sup>cm</sup><sub>catheter</sub> 032

- 1: Scalpel: #11
- 2: Gauze Pad: 2" x 2"
- 5: Gauze Pad: 4" x 4"
- Suture: 3-0 Braided Silk with Straight Needle 1:

<sup>1</sup>Licensed under US Patent Nos. 6,706,024; 6,872,195 and 7,329,412. <sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries.

DuPont<sup>™</sup> Tyvek<sup>®</sup> | 🖉

Rx only. Warning: Read all package insert warnings, precautions and instructions prior to use. Failure to do so may result in severe patient injury or death.

All contents sterile unless otherwise indicated.

Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

i

instructions for use



Consult













20 - 25°C (68 - 77°F). Avoid freezing and excessive heat above 40°C (104°F)



Catheter Cross Section

Priming Volume\*(mL) Flow Rate<sup>†</sup> (mL/hr.) Distal (16 Ga.) 044 3100 Medial (18 Ga.) 0.39 1500 Proximal (18 Ga. 0.39 1600 Priming volumes are approximate and are done

STERINKE

Do not resterilize

without accessories. Flow rates are done with normal saline, room temperature, 100 cm head height and represent

oximate flow capabilities











Arrow International, Inc.

Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA





ARROWg<sup>+</sup>ard Blue Plus<sup>®</sup> Multi-Lumen CVC Kit


catheter

length



Lumen

inch dia. spring-wire guide



Fluid path components are non-pyrogenic.

Contraindications: The ARROWgtard Blue PLUS®

antimicrobial catheter is contraindicated for