Contents:

.. Sheath: 9 Fr. x 4" (10 cm) Arrow-Flex® Radiopaque Polyurethane with Integral Hemostasis Valve/Side Port and Tissue Dilator . Spring-Wire Guide, Marked: .035" (.89 mm) dia. x 17-13/16" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer NeedleInjection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 cc Luer-Slip Syringe Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 cc Luer-Slip Syringe Injection Needle: 25 Ga. x 1" (2.54 cm) and 3 cc Luer-Lock Syringe .. 5 ml HCl, 1% Lidocaine Solution 1 Applicator Pouch, 2% CHG and 70% IPA ChloraPrep®1 One-Step Solution Dust Cap: Non-Vented Cath-Gard® Catheter Contamination Shield: 80 cm with Sterile Tape Drape: 24" x 36" with 4" fenestration One:.Local Anesthetic Components Gauze Pads: 2" x 2" . Gauze Pads: 4" x 4"Obturator: 8 Fr. ... Scalpel: #11Stopcock: 4-way High-Flow Suture: 3-0 Silk with Straight NeedleSharpsAway® Disposal Cup $^{\rm 1}$ A registered trademark of Medi-Flex Hospital Products Corporation.

Rx only

Warning: Prior to use read all package insert warnings, precautions, and instructions. Failure to do so may result in severe pateint injury or death.

All contents sterile unless otherwise indicated

Single use — do not resterilize. Sterilized by ethylene oxide. Do not use if package has been previously opened or damaged. Fluid path components are non-pyrogenic. Contains medication.

 * Store between 20 - 25°C (68 - 77°F). Avoid freezing and excessive heat above 40°C (104°F).

Not made with natural rubber latex.

Arrow International, Inc. 2400 Bernville Road Reading, PA 19605 USA

INFECTION PROTECTION FEATURE:

ChloraPrep®*
 One-Step skin antiseptic,
 2% chlorhexidine
 gluconate in 70%

isopropyl alcohol

Product No. NL-09903-S Pr. 10 cm sheath length .035 inch dia. spring-wire guide

Percutaneous Sheath Introducer Kit

ARROWINTERNATIONAL

Product No. NL-09903-S Pr. 1 Cm sheat length

th th •

035 inch dia. spring-wir guide

Percutaneous Sheath Introducer Kit