



Percutaneous Sheath Introducer Kit for use with 5 - 6 Fr. Catheters / for Pacing

REF ASK-09601-CHR

Contents:

- | | |
|--|--|
| <ul style="list-style-type: none"> 1: Sheath: 6 Fr. x 4" (10 cm) Arrow-Flex® Radiopaque Polyurethane with Integral Hemostasis Valve/Side Port and Tissue Dilator 1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer™ 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle 1: Injection Needle: 25 Ga. x 1" (2.54 cm) 1: Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) 1: Injection Needle: 18 Ga. x 1-1/2" (3.81 cm) 1: Pressure Transduction Probe 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe 1: Syringe: 3 mL Luer-Lock 1: Syringe: 5 mL Luer-Slip | <ul style="list-style-type: none"> 1: Obturator: 8 Fr. 1: SharpsAway® Disposal Cup 1: Cath-Gard® Catheter Contamination Shield: 80 cm 1: Drape: 24" x 36" with 4" fenestration 1: Drape: 24" x 36" 1: Scalpel: #11 1: Stopcock: 3-way High-Flow 2: Prep Sponge Swab 2: Gauze Pad: 2" x 2" 5: Gauze Pad: 4" x 4" 1: Suture: 3-0 Braided Silk with Straight Needle 1: Tape: Sterile 1: Tray: Prep |
|--|--|



Caution



Consult instructions for use



Do not reuse



Do not resterilize



Sterilized by ethylene oxide



Keep away from sunlight



Keep dry



Do not use if package is damaged

Rx only. Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. Sterile. Fluid path components are non-pyrogenic.

This Product Contains Dry Natural Rubber.

DuPont™ Tyvek® packaging

Teleflex®

Arrow International, Inc.
Subsidiary of Teleflex, Incorporated
2400 Bernville Road
Reading, PA 19605 USA

www.teleflex.com

IR-09601-100C (8/15)



Percutaneous Sheath Introducer Kit
for use with 5 - 6 Fr. Catheters / for Pacing

REF
ASK-09601-CHR

6 Fr. | **10** cm sheath length | **.032** inch dia. spring-wire guide