



## REF PR-41552-BAS 5.5<sup>Fr.</sup> 2<sup>Lumen</sup> 15<sup>cm</sup><sub>catheter</sub> 018 inch dia. spring-wire auide Arrowg+ard Blue Advance<sup>™</sup> Midline

## Contents:

- Two-Lumen TaperFree® Catheter with Arrowg+ard 1: Blue Advance<sup>™</sup> Antimicrobial/Antithrombogenic Protection<sup>1</sup>: 5.5 Fr. x 15 cm Pressure Injectable with Blue FlexTip® Feature
- GlideThru<sup>™</sup> Peel-Away Sheath: 5.5 Fr. x 2-3/4" 1: (7 cm) Radiopaque over 5.5 Fr. Dilator
- Spring-Wire Guide, Nitinol, Marked: .018" 1: (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - Straight Stiff Tip on Other)
- Introducer Needle: Echogenic 21 Ga. x 2-3/4" 1: (7 cm) TW
- Syringe: 10 mL Luer-Lock 1:
- Dust Cap: Non-Vented 2:
- SecondSite<sup>™</sup> Adjustable Hub: Fastener 1:
- SecondSite™ Adjustable Hub: Catheter Clamp 1:
- 1: SharpsAway® Disposal Cup

- SharpsAway II<sup>™</sup> Locking Disposal Cup 1: Catheter Trimmer 1:
- 1: Safety Scalpel: #11
- Patient ID Card 1:
- Patient Information Booklet 1:
- Flow Rate Information Card with Injection Log 1:
- Paper Tape Measure 1:
- Dressing: STATLOCK®<sup>2</sup> Catheter Stabilization 1: Device
- <sup>1</sup>Licensed under US Patent Nos. 6,706,024; 6,872,195 and 7,329,412.
- <sup>2</sup>A registered trademark of C. R. Bard, Inc.
- 5.5 Fr. 1.90 mm **MAX** Pressure Gravity Pump Priming Flow Rate<sup>†</sup> Flow Rate<sup>‡</sup> Injection Flow Rate\*\* Volume Lumen (mL) (mL/hr) (mL/hr)(mL/sec) Distal 0.27 1290 5860 5 Proximal 0.28 1360 6060 Not Rated Priming volumes are approximate and are done without accessories.

  - Based on 100 cm head height. Pump flow rates are determined at maximum pump pressure of 10 psig and represent approximate flow capabilities. ŧ
  - \*\* Pressure injection flow rates are determined using media of 11.8 centipoise viscosity, with 152 cm administration set tubing.

Rx only. Warning: Read all package insert warnings, cautions and instructions prior to use. Failure to do so may result in severe patient injury or death.

## 🗥 California Prop. 65

Catheter Cross Section

Warning: Cancer and Reproductive Harm www.P65Warnings.ca.gov.

Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue Advance Pressure Injectable Midline is contraindicated for patients with known hypersensitivity to chlorhexidine.













(77°F) Store below 25°C (77°F).

natural rubber latex Avoid excessive heat above 30°C (86°F)



