

REF PS-01451-NM
ARROW® PICC Set
ARROW®

Contents:

- 1: Indwelling Catheter: 4 Fr. x 50 cm Radiopaque Polyurethane with Blue FlexTip®, Integral Extension Line, Extension Line Clamp, Injection Site Cap, Integral Suture Wing
- 1: Peel-Away Catheter: 15 Ga. x 1-1/4" (3.18 cm) Radiopaque over 17 Ga. TW Introducer Needle
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: Drape: 18" x 26" with 3" fenestration
- 1: Dressing: STATLOCK®¹ Catheter Stabilization Device

¹A registered trademark of C. R. Bard, Inc.

Catheter Diameter: 4 Fr., 1.4 mm

Priming Volume: 0.50 mL

Priming volumes are approximate and are done without the injection cap. Injection cap priming volume is 0.17 mL.

Flow Rate: 838 mL/hr

Flow rate values are approximate and are determined using deionized water at 100 cm head height.

Pump Flow Rate: 4700 mL/hr

Pump flow rates determined at maximum pump pressure of 10 psig.

Rx only. Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Sterile. Do not reuse — do not resterilize. Sterilized by ethylene oxide. Keep away from sunlight. Keep dry. Do not use if package has been previously opened or damaged. Not made with natural rubber latex. Consult instructions for use. Fluid path components are non-pyrogenic.

Manufacturer:
 Arrow International, Inc.
 2400 Bernville Road
 Reading, PA 19605 USA
 www.arrowintl.com



ISO1451-100C (04/19)

REF PS-01451-NM
ARROW® PICC Set
ARROW®

Contents:

- 1: Indwelling Catheter: 4 Fr. x 50 cm Radiopaque Polyurethane with Blue FlexTip®, Integral Extension Line, Extension Line Clamp, Injection Site Cap, Integral Suture Wing
- 1: Peel-Away Catheter: 15 Ga. x 1-1/4" (3.18 cm) Radiopaque over 17 Ga. TW Introducer Needle
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: Drape: 18" x 26" with 3" fenestration
- 1: Dressing: STATLOCK®¹ Catheter Stabilization Device

¹A registered trademark of C. R. Bard, Inc.

Catheter Diameter: 4 Fr., 1.4 mm

Priming Volume: 0.50 mL

Priming volumes are approximate and are done without the injection cap. Injection cap priming volume is 0.17 mL.

Flow Rate: 838 mL/hr

Flow rate values are approximate and are determined to use deionized water at 100 cm head height.

Pump Flow Rate: 4700 mL/hr

Pump flow rates determined at maximum pump pressure of 10 psig.

Rx only. Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

Sterile. Do not reuse — do not resterilize. Sterilized by ethylene oxide. Keep away from sunlight. Keep dry. Do not use if package has been previously opened or damaged. Not made with natural rubber latex. Consult instructions for use. Fluid path components are non-pyrogenic.

Manufacturer:
 Arrow International, Inc.
 2400 Bernville Road
 Reading, PA 19605 USA
 www.arrowintl.com



ISO1451-100C (04/19)



REF
PS-01451-NM
 ARROW® PICC Set

4 Fr. **50** cm catheter length

Peel to Open



REF
PS-01451-NM
 ARROW® PICC Set

4 Fr. **50** cm catheter length

Peel to Open