



REF CA-22702

7 Fr. 2 Lumen 16 cm catheter length .025 inch dia. spring-wire guide

Two-Lumen Central Venous Catheterization Kit with Blue FlexTip® ARROWg+ard Blue® Catheter

Contents:

- 1: Two-Lumen Indwelling Catheter: 7 Fr. x 16 cm Radiopaque Polyurethane with Blue FlexTip®, ARROWg+ard® Antimicrobial Surface Treatment¹, Extension Line Clamps
 - 1: Spring-Wire Guide, Marked: .025" (0.64 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
 - 1: Catheter: 20 Ga. x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. TW Introducer Needle
 - 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) RW
 - 1: Pressure Transduction Probe
 - 1: Injection Needle: 25 Ga. x 1" (2.54 cm) and 3 mL Luer-Lock Syringe
 - 1: Introducer Needle: 20 Ga. x 1-1/2" (3.81 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
 - 1: Injection Needle: 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
 - 1: Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
 - 2: Dust Cap: Non-Vented
 - 1: SecondSite™ Adjustable Hub: Fastener
 - 1: SecondSite™ Adjustable Hub: Catheter Clamp
 - 1: SharpsAway® Disposal Cup
 - 1: Drape: 21" x 36" (53 cm x 91 cm) with 3" (7.6 cm) fenestration, with adhesive
 - 1: Scalpel: #11
 - 2: Gauze Pad: 2" x 2" (5 cm x 5 cm)
 - 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)
 - 1: Suture: 3-0 Braided Silk with Straight Needle
- ¹Licensed under US Patent No. 6,706,024.

Rx only.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

California Prop. 65


⚠ **WARNING:** Cancer and Reproductive Harm.
www.P65Warnings.ca.gov

Not made with natural rubber latex.

Store between 20 – 25°C (68 – 77°F).

Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs (refer to product instructions for references).



Lumen	Priming Volume* (ml)	Gravity Flow Rate† (ml/hr)
Distal (18 Ga.)	0.32	1500
Proximal (14 Ga.)	0.47	5000

* Priming volumes are approximate and are done without accessories.
† Flow rates are done with deionized water or normal saline, room temperature, 100 cm head height and represent approximate flow capabilities.



Arrow International, Inc.
Subsidiary of Teleflex Incorporated
2400 Bernville Road
Reading, PA 19605 USA

Teleflex®
www.teleflex.com
LBL015676 (03/19)



REF CA-22702

7 Fr. 2 Lumen 16 cm catheter length .025 inch dia. spring-wire guide