







20 cm catheter length

.032 inch dia. spring-wire guide

Pressure Injectable Multi-Lumen Central Venous Catheterization Kit with Blue FlexTip® Catheter

- Multi-Lumen Indwelling Catheter: 7 Fr. x 20 cm Pressure Injectable Radiopaque Polyurethane with Blue FlexTip®, Extension Line Clamps Spring-Wire Guide, Nitinol, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight
- Soft Tip on One End "J" Tip on Other) with Arrow Advancer with ECG Mark
 Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
 Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW

- Pressure Transduction Probe
- Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm

- Dust Cap: Non-Vented
 SecondSite™ Adjustable Hub: Fastener
 SecondSite™ Adjustable Hub: Catheter Clamp
- Flow Rate Information Card with Injection Log
- Dressing: GRIP-LOK®1 Catheter Fixation Device

¹A registered trademark of TIDI.

All components are CE 0086 unless otherwise noted.

Not made with natural rubber latex Fluid path components are non-pyrogenic.

7 Fr.	160	Ga.
2.4 mm	18Ga.	18Ga.

	Priming Volume* (mL)	Flow Rate† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (16 Ga.)	0.44	3200	10
Medial (18 Ga.)	0.39	1500	5
Proximal (18 Ga.)	0.39	1600	5

^{*} Priming volumes are approximate and are done without accessories.



















Arrow International, Inc. Subsidiary of Teleflex Incorporated 2400 Bernville Road Reading, PA 19605 USA







(01)XXXXXXXXXXXXXXX (17)YYMMDD (10)LotNumber




Teleflex Medical IDA Business and Technology Park
Dublin Road, Athlone Co. Westmeath, Ireland











7 Fr. 3 Lumen 20 cm catheter length



[†] Based on 100 cm head height.

^{**} Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 60" administration set tubing.