



## **REF SA-17702**

7<sup>Fr.</sup> 2<sup>Lumen</sup>

20 cm catheter length

.032 inch dia. spring-wire guide

## **Two-Lumen CVC**

## Contents:

- Two-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm
- Spring-Wire Guide, Nitinol, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer with
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW

- Introducer Needle: Ecnogenic 18 Ga. x 2-1/2" (6.35 cm) X I W
  Pressure Transduction Probe
  Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL
  Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
  SecondSite ™ Adjustable Hub: Fastener
  SecondSite ™ Adjustable Hub: Catheter Clamp
  Drape: 29-1/2" x 35-1/2" (75 cm x 90 cm) with 4" (10 cm) fenestration, with
  adhesive adhesive
  Drape: 19-5/8" x 29-1/2" (50 cm x 75 cm) with adhesive
- Safety Scalpel: #11
- Prep Sponge Swab

  Valve: MicroCLAVE™¹ Neutral Displacement Connector

<sup>1</sup>A trademark of ICU Medical, Inc.

All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU Not made with natural rubber latex. Fluid path components are non-pyrogenic.

6 Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)		
Distal (14 Ga.) Proximal (18 Ga.)	0.60 0.43	5337 1453		



LOT



M













**EU Authorized** Representative and Importer:



Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL051260 R01 (2023-09)









.032 inch dia. spring-wire guide





<sup>\*</sup> Priming volumes are approximate and are done without accessories. † Flow rate values are approximate and are determined using deionized water at 100 cm head height.