



2^{Lumen} 20 cm catheter .032 spring-wire auide

1: Maximal Barrier Drape™ with 4" fenestration

Medication Label: 1% Lidocaine

5: Gauze Pad: 4" x 4" (10 cm x 10 cm)

1: Surgical Apparel: Impervious Gown

Surgical Apparel: Bouffant Cap

1: Suture: 3-0 Silk with Curved Needle 1: HemoHopper® Fluid Receptacle

¹Licensed under US Patent No. 7,329,412.

²A trademark of Becton, Dickinson and Company.

³A registered trademark of CareFusion or one of its subsidiaries.

1: Surgical Apparel: Mask with Eye Shield

2: Gauze Pad: 2" x 2" (5 cm x 5 cm)

1: Needle Holder

Safety Scalpel: #11

1: Checklist/CLIP Sheet

1: Sterile Procedure Sign

1:

1:

1:

Erg[®]Pack Arrowg+ard Blue Plus[®] Two-Lumen CVC

Contents:

- 1: Arrowg+ard Blue Plus®1 Two-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm 1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight
- Soft Tip on One End "J" Tip on Other) with Arrow Advancer Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer 1:
- Needle Injection Needle: SafetyGlide^{™2} 25 Ga. x 1" (2.54 cm)
- 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) 1:
- 1: Pressure Transduction Probe
- Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® 1: Raulerson Spring-Wire Introduction Syringe
- Injection Needle: SafetyGlide^{™2} 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip 1: Syringe
- 1: Syringe: 3 mL Luer-Lock
- 1: Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
- 1: 5 mL 1% Lidocaine HCI Solution and Alcohol Prep
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®3 One-Step Solution with 1: Hi-Lite Orange[™] Tint
- 1: SecondSite[™] Adjustable Hub: Fastener
- SecondSite™ Adjustable Hub: Catheter Clamp 1:
- 1: SharpsAway® Disposal Cup
- 1: SharpsAway® II Locking Disposal Cup

Not made with natural rubber latex.

Store between 20 - 25°C (68 - 77°F)

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine. silver sulfadiazine and/or sulfa drugs.

O Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (14 Ga.)	0.57	4731	
Proximal (18 Ga.)	0.40	913	

ARRO

* Priming volumes are approximate and are done without accessories.

† Flow rate values are approximate and are determined using deionized water at 100 cm head height.



LBL052807 R00 (2021-05)