

(IPNXXXXXX)

12<sup>Fr.</sup> 3<sup>Lumer</sup>

20 cm catheter length

.035 inch dia. spring-wird guide



## Arrowg+ard Blue® Large-Bore Three-Lumen CVC for High Volume Infusions




## Contents:

- 1: Arrowg+ard Blue® Three-Lumen Catheter: 12 Fr. (4.1 mm OD) x 20 cm
- Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 26-3/4" (68 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- Injection Needle: SafetyGlide™¹ 25 Ga. x 1" (2.54 cm)
- 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Pressure Transduction Probe
- Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Injection Needle: SafetyGlide™1 22 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe
- 1: Syringe: 3 mL Luer-Lock
- 1: Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm
- 1: Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm
- 2: 10 mL Luer-Lock Pre-Filled Saline Syringe
- 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep<sup>®2</sup> One-Step Solution with Hi-Lite Orange™ Tint
- 1: SharpsAway® II Locking Disposal Cup
- 1: SharpsAway® Disposal Cup
- 1: Maximal Barrier Drape™ with 4" fenestration
- 1: Towe
- 1: Needle Holder
- 1: Safety Scalpel: #11
- 1: Checklist/CLIP Sheet
- 1: Sterile Procedure Sign

- 1: Medication Label: 1% Lidocaine
- 2: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Dressing: Tegaderm®3 10 cm x 12 cm
- Surgical Apparel: Impervious Gown
- i. Surgical Apparei. Impervious
- 1: Dressing: BIOPATCH®4
- : Surgical Apparel: Bouffant Cap
- 1: Surgical Apparel: Mask with Eye Shield
- 1: Suture: 3-0 Silk with Curved Needle
- 1: HemoHopper® Fluid Receptacle
- <sup>1</sup>A trademark of Becton, Dickinson and Company
- <sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries
- 3A registered trademark of 3M Company
- <sup>4</sup>A registered trademark of Johnson & Johnson Corporation.

Lumen	Priming Volume* (mL)	Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.40	2457	
Medial (12 Ga.)	1.3	10151	
Proximal (12 Ga.)	1.2	11039	

<sup>\*</sup> Priming volumes are approximate and are done without accessories.



Store between 20 – 25°C (68 – 77°F)

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.



LBL052887 R01 (2024-05)

<sup>†</sup> Flow rate values are approximate and are determined using deionized water at 100 cm head height.