

(IPNXXXXXX)

8.5 Fr. 4 Lume

16 cm catheter length

.032 inch dia. spring-wire guide



Pressure Injectable Arrowg+ard Blue Plus® Four-Lumen CVC



Contents:

- Arrowg+ard Blue Plus®¹ Four-Lumen Catheter: 8.5 Fr. (3.0 mm OD) x 16 cm, Pressure Injectable
- 1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- Pressure Transduction Probe
- 1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Injection Needle: Eclipse™2 22 Ga. x 1-1/2" (3.81 cm) RW and 5 mL Luer-Slip Syringe
- Injection Needle: Eclipse™2 25 Ga. x 1" (2.54 cm) RW and 3 mL Luer-Lock Svringe
- : Syringe: 10 mL Luer-Lock
- 1: Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm
- 1: SecondSite™ Adjustable Hub: Fastener
- SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SharpsAway® II Locking Disposal Cup
- 1: SharpsAway® Disposal Cup
- 1: Maximal Barrier Drape™ with 4" fenestration
- 1. Towe
- 1: Needle Holder
- 1: Forceps
- 1: Safety Scalpel: #11
- 1: Checklist/CLIP Sheet
- 1: Sterile Procedure Sign
- 2: Gauze Pad: 2" x 2" (5 cm x 5 cm)

- 5: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Dressing: Tegaderm®3 10 cm x 12 cm
- : Surgical Apparel: Impervious Gown
- I: Surgical Apparel: Bouffant Cap
- 1: Surgical Apparel: Mask with Eye Shield
- 1: Suture: 3-0 Silk with Curved Needle
- 1: HemoHopper® Fluid Receptacle


¹Licensed under US Patent No. 7,329,412. ²A trademark of Becton, Dickinson and Company

³A registered trademark of 3M Company.









Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F)

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.

| Lumen | Priming Volume* (mL) | Gravity Flow Rate† (mL/hr) | MAX Pressure Injection Flow Rate** (mL/sec) |
|-------------------|----------------------------|-------------------------------------|--|
| Distal (16 Ga.) | 0.38 | 2781 | 5 |
| Medial 1 (14 Ga.) | 0.45 | 4980 | 10 |
| Medial 2 (18 Ga.) | 0.35 | 1453 | not rated |
| Proximal (18 Ga.) | 0.38 | 1619 | not rated |

^{*} Priming volumes are approximate and are done without accessories.



LBL053594 R01 (2024-05)

[†] Flow rate values are approximate and are determined using deionized water at 100 cm head height.

^{**} Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.