



REF AK-04700

14 Ga. 1 Lumen

20 cm catheter length


.032 inch dia. spring-wire guide

One-Lumen CVC

Contents:

- 1: One-Lumen Catheter: 14 Ga. (2.2 mm OD) x 20 cm, Side Holes
- 1: Spring-Wire Guide: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other)
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- 1: Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
- 1: Injection Needle: 25 Ga. x 1" (2.54 cm)
- 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- 2: Syringe: 5 mL Luer-Slip
- 1: Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SharpsAway® Disposal Cup
- 1: Drape: 18" x 26" (46 cm x 66 cm) with 3" (7.6 cm) fenestration
- 1: Scalpel: #11
- 2: Prep Sponge Swab
- 3: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 4: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Suture: 3-0 Braided Silk with Straight Needle
- 1: Tray: Prep

Rx only
Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.
California Prop. 65
⚠ **WARNING:** Cancer and Reproductive Harm.
www.P65Warnings.ca.gov
Not made with natural rubber latex.
Fluid path components are non-pyrogenic.

 Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)
Distal (14 Ga.)	0.4	6748

* Priming volumes are approximate and are done without accessories.
† Flow rate values are approximate and are determined using deionized water at 100 cm head height.



Arrow International LLC
Subsidiary of Teleflex Incorporated
3015 Carrington Mill Blvd.
Morrisville, NC 27560 USA
Teleflex®
www.teleflex.com
LBL053640 R01 (2022-03)



REF AK-04700

14 Ga. 1 Lumen

20 cm catheter length

.032 inch dia. spring-wire guide

One-Lumen CVC