



## **REF ASK-04301-KR**

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

## **One-Lumen CVC**

- One-Lumen Catheter: 16 Ga. (1.8 mm OD) x 20 cm
- Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
- Advancer
  Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW
  Introducer Needle
  Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
  Injection Needle: 25 Ga. x 1-1/2" (3.81 cm)
  Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
  Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
  Introducer Needle: 18 Ga. x 1-1/2" (3.81 cm) XTW
  Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW
  Pressure Transduction Probe
  Introducer Needle: 22 Ga. x 2-3/4" (7 cm) TW
  Svringe: 10 ml. Luer-Slip

- Introducer Needle: 22 Ga. x 2-3/4" (7 cm) TW
  Syringe: 10 mL Luer-Slip
  Syringe: 5 mL Luer-Slip
  Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL
  Tissue Dilator: 7 Fr. (2.3 mm) x 10.2 cm
  Dust Cap: Non-Vented
  SecondSite™ Adjustable Hub: Fastener
  SecondSite™ Adjustable Hub: Catheter Clamp
  Medicine Cup: 60 mL

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Not made with natural rubber latex.

Fluid path components are non-pyrogenic.

- 1: SharpsAway® Disposal Cup
  1: Drape: 35" x 50" (89 cm x 127 cm) with 4" (10 cm) fenestration, with adhesive
  1: Drape: 30" x 44" (76 cm x 112 cm)
  1: Needle Holder
  1: Scalpel: #11
  1: Stopcock: 4-way
  2: Prep Sponge Swab
  6: Gauze Pad: 4" x 4" (10 cm x 10 cm)
  1: Dressing: OpSite®1 4-3/4" x 4" (12 cm x 10 cm)
  1: Suture: 3-0 Silk with Curved Needle
  2: Tray: Prep
  14 registered trademark of T.J. Smith & Nephew, Limited.

- <sup>1</sup>A registered trademark of T.J. Smith & Nephew, Limited.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.4	2498	

<sup>\*</sup> Priming volumes are approximate and are done without accessories.










Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL053683 R00 (2021-05)







20 cm catheter length

.032 inch dia. spring-wire guide



<sup>†</sup> Flow rate values are approximate and are determined using deionized water at 100 cm head height.