



REF ASK-15703-KR

Three-Lumen CVC

- Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm
- Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
- Advancer
 Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW
 Introducer Needle
 Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
 Injection Needle: 25 Ga. x 1-1/2" (3.81 cm)
 Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
 Injection Needle: 18 Ga. x 1-1/2" (3.81 cm)
 Introducer Needle: 18 Ga. x 1-1/2" (3.81 cm)
 Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW
 Pressure Transduction Probe
 Introducer Needle: 22 Ga. x 2-3/4" (7 cm) TW
 Svringe: 10 mL Luer-Slio

- Introducer Needle: 22 Ga. x 2-3/4" (7 cm) TW
 Syringe: 10 mL Luer-Slip
 Syringe: 5 mL Luer-Slip
 Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL
 Tissue Dilator: 8 Fr. (2.7 mm) x 9 cm
 Dust Cap: Non-Vented
 SecondSite™ Adjustable Hub: Fastener
 SecondSite™ Adjustable Hub: Catheter Clamp
 Medicine Cup: 60 mL

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. Not made with natural rubber latex.

Sterilized using ethylene oxide unless otherwise indicated in the contents list.

Fluid path components are non-pyrogenic.

1	:	Sharp	sAway	® [Disposal	Cup

- 1: SharpsAway® Disposal Cup
 1: Drape: 35" x 50" (89 cm x 127 cm) with 4" (10 cm) fenestration, with adhesive
 1: Drape: 30" x 44" (76 cm x 112 cm)
 1: Needle Holder
 1: Scalpel: #11
 3: Stopcock: 4-way
 2: Prep Sponge Swab
 6: Gauze Pad: 4" x 4" (10 cm x 10 cm)
 1: Dressing: OpSite®1 4-3/4" x 4" (12 cm x 10 cm)
 1: Suture: 3-0 Silk with Curved Needle
 2: Tray: Prep
 14 registered trademark of T.J. Smith & Nephew, Limited.

- ¹A registered trademark of T.J. Smith & Nephew, Limited.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.47	2656	
Medial (18 Ga.)	0.40	1245	
Proximal (18 Ga.)	0.42	1328	

* Priming volumes are approximate and are done without accessories. † Flow rate values are approximate and are determined using deionized water at 100 cm head height.









Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL053685 R00 (2021-05)







20 cm catheter length

.032 inch dia. spring-wire guide



