



REF MP-17702-JA

20 cm catheter length

.018 spring-wire guide

Two-Lumen CVC

Contents:

- Two-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm,
- Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 23-5/8" (60 cm) (Angled Soft Tip on One End -Straight Stiff Tip on Other) with Arrow Advancer and
- Catheter: 20 Ga. x 1-3/4" (4.45 cm) Radiopaque over 22 Ga. TW Introducer Needle
- Injection Needle: 25 Ga. x 1-1/2" (3.81 cm) Injection Needle: 22 Ga. x 1-1/2" (3.81 cm)
- Introducer Needle: Echogenic 22 Ga. (0.72 mm) x 2-3/4" (7 cm) XTW
- Introducer Needle: Echogenic 22 Ga. (0.72 mm) x 1-3/8" (3.5 cm) XTW
- Syringe: 10 mL Luer-Slip
- Syringe: 5 mL Luer-Slip 1: Syringe: 2 mL Luer-Slip
- Tissue Dilator: 8 Fr. x 9.7 cm Dust Cap: Non-Vented
- SecondSite™ Adjustable Hub: Fastener
- SecondSite™ Adjustable Hub: Catheter Clamp 1:
- Medicine Cup: 60 mL

SharpsAway® Disposal Cup Warning: Read all package i

- Drape: 35" x 50" (89 cm x 127 cm) with 4" (10 cm) fenestration, with adhesive
- Needle Holder
- Scalpel: #11
- Stopcock: 4-way

- Prep Sponge Swab
 Gauze Pad: 4" x 4" (10 cm x 10 cm)
 Dressing: OpSite®1 4-3/4" x 4" (12 cm x 10 cm) 1:
- Suture: 3-0 Silk with Curved Needle
- Tray: Prep
- Y-hub
- Guidewire Introducer

¹A registered trademark of T.J. Smith & Nephew, Limited.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. Not made with natural rubber latex.	Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Sterilized using ethylene oxide unless otherwise indicated in the contents list. Fluid path components are non-pyrogenic.	Distal (14 Ga.) Proximal (18 Ga.)	0.6 0.43	5337 1453	

^{*} Priming volumes are approximate and are done without accessories.





Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL053750 R00 (2021-10)





[†] Flow rate values are approximate and are determined using deionized water at 100 cm head height.