





13 cm catheter length on 18 spring-wire quide

Pediatric Arrowg+ard Blue® Two-Lumen CVC

- Arrowg+ard Blue® Two-Lumen Catheter: 4 Fr. (1.5 mm OD) x 13 cm Spring-Wire Guide: .018" (0.46 mm) dia. x 17-3/4" (45 cm) PTFE-Coated (Straight Soft Tip on One End "J" Tip on Other) Introducer Needle: 21 Ga. x 1-1/2" (3.81 cm) TW
- Catheter: 22 Ga. x 1-3/4" (4.45 cm) Radiopaque over 25 Ga. RW Introducer Needle with 5 mL Luer-Slip Syringe
- Tissue Dilator: 5 Fr. (1.8 mm) x 7.5 cm Tissue Dilator: 5 Fr. (1.8 mm) x 4.1 cm Dust Cap: Non-Vented

- SecondSite™ Adjustable Hub: Catheter Clamp SecondSite™ Adjustable Hub: Fastener

All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU

Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F). Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.







Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (22 Ga.)	0.26	422	
Proximal (22 Ga.)	0.30	191	

Priming volumes are approximate and are done without accessories.



EC REP IDA Business and Technology Park
Dublin Road, Athlone
7797 Co. Westmeath, Ireland

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL054130 R01 (2023-12)











13 cm catheter length

.018 inch dia. spring-wire guide



[†] Flow rate values are approximate and are determined using deionized water at 100 cm head height.