



REF AK-15553

5.5^{Fr.} 3^{Lumen}



Three-Lumen CVC

Contents

- Three-Lumen Catheter: 5.5 Fr. (1.9 mm OD) x 8 cm Spring-Wire Guide: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End "J" Tip on Other) Injection Needle: 25 Ga. x 1" (2.54 cm) Introducer Needle: 21 Ga. x 1-1/2" (3.81 cm) TW Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) Catheter: 22 Ga. x 1-3/4" (4.45 cm) Radiopaque over 25 Ga. RW Introducer Needle with 5 mL Luer-Slip Syringe Injection Needle: 25 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe Syringe: 3 mL Luer-Lock
- Gauze Pad: 2" x 2" (5 cm x 5 cm)
 Gauze Pad: 4" x 4" (10 cm x 10 cm) 1: Suture: 3-0 Braided Silk with Straight Needle
- ¹A registered trademark of CareFusion or one of its subsidiaries.
- 1: 1:
- 1:

- Injection Needle: 25 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe Syringe: 3 mL Luer-Lock Tissue Dilator: 6 Fr. (2.0 mm) x 7.6 cm Tissue Dilator: 6 Fr. (2.0 mm) x 4.1 cm 5 mL 1% Lidocaine HCI Solution and Alcohol Prep 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®1 One-Step Solution with Hi-Lite OrangeTM Tint Dust Car: Non-Vented 1: 1:

- Hi-Lite Orange[™] Tint 3: Dust Cap: Non-Vented 1: SecondSite[™] Adjustable Hub: Fastener 1: SecondSite[™] Adjustable Hub: Catheter Clamp 1: SharpsAway[®] Disposal Cup 1: Drape: 18" x 26" (46 cm x 66 cm) with 3" (7.6 cm) fenestration 1: Scalpel: #11

Rx only

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death.

California Prop. 65

A WARNING: Cancer and Reproductive Harm. www.P65Warnings.ca.gov Not made with natural rubber latex.

Store between 20 - 25°C (68 - 77°F)

Sterilized using ethylene oxide unless otherwise indicated in the contents list. Fluid path components are non-pyrogenic.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (20 Ga.)	0.29	1253	
Medial (22 Ga.)	0.31	601	
Proximal (22 Ga.)	0.34	872	

Priming volumes are approximate and are done without accessories. † Flow rate values are approximate and are determined using deionized water at 100 cm head height.



آلسم







REF AK-15553

Three-Lumen CVC

5.5^{Fr.} 3^{Lumen}

_018 inch dia. spring-wire quide 8 cm catheter length



Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

> **Teleflex**[®] www.teleflex.co

LBL054530 R00 (2021-11)