

Product of XXX  
Packaged in XXX



REF **CS-15703** (IPNXXXXXX)

**7** Fr. **3** Lumen **20** cm catheter length **.032** inch dia. spring-wire guide

# Three-Lumen CVC

**Contents:**

- 1: Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 20 cm
- 1: Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer with ECG Mark
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- 1: Syringe: 5 mL Luer-Slip
- 1: Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
- 3: Dust Cap: Non-Vented
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: SecondSite™ Adjustable Hub: Catheter Clamp

**Rx only**

**Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU**

**California Prop. 65**

**⚠ WARNING: Cancer and Reproductive Harm. www.P65Warnings.ca.gov**

**Not made with natural rubber latex.**

Fluid path components are non-pyrogenic.

**All components are CE 2797 unless otherwise noted.**



CAS # 7440-48-4



Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)
Distal (16 Ga.)	0.47	2656
Medial (18 Ga.)	0.40	1245
Proximal (18 Ga.)	0.42	1328

\* Priming volumes are approximate and are done without accessories.

† Flow rate values are approximate and are determined using deionized water at 100 cm head height.

EU Authorized Representative and Importer:

**EC REP** Teleflex Medical  
IDA Business and Technology Park  
Dublin Road, Athlone  
2797 Co. Westmeath, Ireland

**CE** Arrow International LLC  
Subsidiary of Teleflex Incorporated  
3015 Carrington Mill Blvd.  
Morrisville, NC 27560 USA

**Teleflex®**  
www.teleflex.com

LBL055613 R01 (2024-01)

**LOT** LotNumber

YYYY-MM-DD

YYYY-MM-DD



(01)XXXXXXXXXXXXXX  
(17)YYMMDD  
(11)YYMMDD  
(10)LotNumber



**7** Fr. **3** Lumen **20** cm catheter length **.032** inch dia. spring-wire guide

REF CS-15703

# Three-Lumen CVC

