
**ARR**(

Product of XXX Packaged in XXX





(IPNXXXXXX)

6 cm catheter length

## Three-Lumen CVC

- Three-Lumen Catheter: 7 Fr. (2.5 mm OD) x 16 cm Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- Pressure Transduction Probe
  Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL
- Tissue Dilator: 8.5 Fr. (2.8 mm) x 10.2 cm
  Dust Cap: Non-Vented
  SecondSite™ Adjustable Hub: Fastener
  SecondSite™ Adjustable Hub: Catheter Clamp

- All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU

California Prop. 65

▲ WARNING: Cancer and Reproductive Harm.

www.P65Warnings.ca.gov

Not made with natural rubber latex.

Fluid path components are non-pyrogenic.



















											_
pl	pt	ro	ru	sr	sk	sl	es	SV	tr	uk	

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.4	2947	
Medial (18 Ga.)	0.4	1552	
Proximal (18 Ga.)	0.4	1702	

<sup>\*</sup> Priming volumes are approximate and are done without accessories.



EU Authorized Representative and Importer:



IDA Business and Technology Park Dublin Road, Athlone Co. Westmeath, Ireland

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



**LOT** LotNumber







(01)XXXXXXXXXXXXXXX (11)YYMMDD (10)LotNumber

LBL055960 R01 (2024-03)



REF CS-12703-E

16 cm catheter length

.032 inch dia. spring-wire guide





 $<sup>\</sup>uparrow$  Flow rate values are approximate and are determined using deionized water at 100 cm head height.