

REF EU-24041-HPMSB (IPNXXXXXX)

40 cm catheter length .018 inch dia. spring-wire guide

PICC Line Insertion Checklist

Gauze Pad: 2" x 2" (5 cm x 5 cm)

Surgical Apparel: Impervious Gown Dressing: Steri-Strip®2 1/2" x 4" (1.2 cm x 10 cm)

¹A trademark of Becton, Dickinson and Company ²A registered trademark of 3M Company.

⁴A trademark of ICU Medical, Inc. All components are CE 2797 unless otherwise noted.

Surgical Apparel: Mask Surgical Apparel: Mask Surgical Apparel: Mask with Shield Transducer Cover: 4-12/16" x 95" (12 cm x 244 cm) Valve: MicroCLAVE™4 Neutral Displacement Connector HemoHopper® Fluid Receptacle

Gauze Pad: 4" x 4" (10 cm x 10 cm) Dressing: Tegaderm^{®2} I.V. Advanced 3-1/4" x 4-1/2" (8.5 cm x 11.5 cm) Dressing: GRIP-LOK^{®3} Catheter Fixation Device

Paper Tape Measure Tourniquet

³A registered trademark of TIDI.

10:



Pressure Injectable One-Lumen PICC

4^{Fr.} 1^{Lumen}

Contents:

- One Lumen Catheter: 4 Fr. (1.45 mm OD) x 40 cm, Pressure Injectable, T-Port Connector, Blue FlexTip®, Contamination Guard and Placement Wire GlideThru™ Peel-Away Sheath: 4 Fr. x 2-3/4" (7 cm) Radiopaque over 4 Fr. Dilator Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - Straight Stiff Tip on Spring-wite Square, Nilnol, Market. 516 (0.46 mm) dat x 17 Other) with Arrow Advancer Injection Needle: Eclipse™1 23 Ga. x 1" (2.54 cm) Injection Needle: Eclipse™1 25 Ga. x 1" (2.54 cm) Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW Filter Needle: 18 Ga. TW x 1-1/2" (3.81 cm) with Blunt Fill Tip

- Syringe: 10 mL Luer-Lock
- Syringe: 3 mL Luer-Lock SecondSite™ Adjustable Hub: Catheter Clamp SecondSite™ Adjustable Hub: Fastener
- SharpsAway® II Locking Disposal Cup SharpsAway® Disposal Cup
- Catheter Trimmer
- Towel: 24" x 36" (61 cm x 91 cm) Drape: 60" x 76" (152 cm x 193 cm)
- Drape: 36" x 41" (91 cm x 104 cm) with 3" x 5" (8 cm x 13 cm) fenestration
- Towel Safety Scalpel: #11
- Patient ID Card
- Sterile Procedure Sign Patient Information Booklet
- Chart Sticker 1:

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or

MAX Pressure

death. www.teleflex.com/IFU

Not made with natural rubber latex.

Fluid path components are non-pyrogenic

Contraindications: The Pressure Injectable PICC is contraindicated wherever there is presence of device related infections or presence of thrombosis in the intended insertion vessel or catheter pathway. Clinical assessment of the patient must be completed to ensure no contraindications exist.

Lumen	Priming	Flow	Pump	Injection
	Volume*	Rate†	Flow Rate††	Flow Rate**
	(mL)	(mL/hr)	(mL/hr)	(mL/sec)
Distal (18 Ga.)	0.38	847	4679	4

* Priming volumes are approximate and are done without accessories.

† Flow rate values are approximate and are determined using deionized water at 100 cm head height.

^{hetguin}
⁺† Pump flow rates are determined at maximum pump pressure of 10 psig and represent approximate flow capabilities.
^{**} Pressure injection flow rates are determined at the injector pressure setting of 300 psi maximum using media of 11.8 centipoise viscosity, with 152 cm pressure tubing.



