



REF CS-12123-F

12^{Fr.} 3^{Lumen} 16^{cm} catheter length .035^{inch dia.} spring-wire guide

Three-Lumen CVC

Contents:

- 1: Three-Lumen Catheter: 12 Fr. (4.1 mm OD) x 16 cm
- 1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- 1: Pressure Transduction Probe
- 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- 1: Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm
- 3: Dust Cap: Non-Vented
- 1: Drape: 24" x 36" (61 cm x 91 cm)
- 1: Scalpel: #11

All components are CE 2797 unless otherwise noted.

Rx only

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU
 California Prop. 65
 ⚠ **WARNING:** Cancer and Reproductive Harm.
www.P65Warnings.ca.gov
 Not made with natural rubber latex.
 Fluid path components are non-pyrogenic.



Lumen

Priming Volume* (mL)

Gravity Flow Rate† (mL/hr)

Distal (16 Ga.)	0.4	2855
Medial (12 Ga.)	1.4	10765
Proximal (12 Ga.)	1.3	11686

* Priming volumes are approximate and are done without accessories.

† Flow rate values are approximate and are determined using deionized water at 100 cm head height.



LOT



EU Authorized Representative and Importer

EC REP Teleflex Medical
 IDA Business and Technology Park
 Dublin Road, Athlone
 Co. Westmeath, Ireland

Arrow International LLC
 Subsidiary of Teleflex Incorporated
 3015 Carrington Mill Blvd.
 Morrisville, NC 27560 USA

Teleflex®
www.teleflex.com

LBL056882 R01 (2023-09)



Three-Lumen CVC

REF CS-12123-F

12^{Fr.} 3^{Lumen} 16^{cm} catheter length .035^{inch dia.} spring-wire guide