



REF CS-15123-F

12 Fr. 3 Lumen 20 cm catheter length .035 inch dia. spring-wire guide

# Three-Lumen CVC

**Contents:**

- 1: Three-Lumen Catheter: 12 Fr. (4.1 mm OD) x 20 cm
- 1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 26-3/4" (68 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- 1: Pressure Transduction Probe
- 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- 1: Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm
- 3: Dust Cap: Non-Vented
- 1: Drape: 24" x 36" (61 cm x 91 cm)
- 1: Scalpel: #11

All components are CE 2797 unless otherwise noted.

**Rx only**

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. [www.teleflex.com/IFU](http://www.teleflex.com/IFU)  
 California Prop. 65  
 ⚠ **WARNING:** Cancer and Reproductive Harm. [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
 Not made with natural rubber latex.  
 Fluid path components are non-pyrogenic.



Lumen

Priming Volume\* (mL)

Gravity Flow Rate† (mL/hr)

Distal (16 Ga.)	0.4	2224
Medial (12 Ga.)	1.6	10616
Proximal (12 Ga.)	1.5	12168

\* Priming volumes are approximate and are done without accessories.  
 † Flow rate values are approximate and are determined using deionized water at 100 cm head height.



CAS # 7440-48-4

LOT



EU Authorized Representative and Importer:

EC REP  
 CE 2797  
 Teleflex Medical  
 IDA Business and  
 Technology Park  
 Dublin Road, Athlone  
 Co. Westmeath, Ireland

Arrow International LLC  
 Subsidiary of Teleflex Incorporated  
 3015 Carrington Mill Blvd.  
 Morrisville, NC 27560 USA

Teleflex®  
[www.teleflex.com](http://www.teleflex.com)

LBL056904 R01 (2023-10)



# Three-Lumen CVC

REF CS-15123-F

12 Fr. 3 Lumen 20 cm catheter length .035 inch dia. spring-wire guide