



REF CDA-22122-U1A

12^{Fr.} 2^{Lumen} 16^{cm} catheter length .035^{inch dia.} spring-wire guide

ARROW®

ErgoPack®

Arrowg+ard Blue® You-Bend™ Two-Lumen Hemodialysis Catheterization for High Volume Infusions

Contents:

- | | |
|--|---|
| 1: Two-Lumen Catheter‡: 12 Fr. (4.06 mm OD) x 16 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment, Extension Line Clamps | 1: Forceps |
| 1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer | 1: Safety Scalpel: #11 |
| 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle | 1: Checklist/CLIP Sheet |
| 1: Pressure Transduction Probe | 1: Sterile Procedure Sign |
| 1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe | 2: Gauze Pad: 2" x 2" (5 cm x 5 cm) |
| 1: Injection Needle: Eclipse™ ¹ 23 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe | 5: Gauze Pad: 4" x 4" (10 cm x 10 cm) |
| 1: Injection Needle: Eclipse™ ¹ 25 Ga. x 1" (2.54 cm) and 3 mL Luer-Lock Syringe | 1: Dressing: Tegaderm® ² 10 cm x 12 cm |
| 1: Syringe: 10 mL Luer-Lock | 1: Surgical Apparel: Impervious Gown |
| 1: Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm | 1: Surgical Apparel: Bouffant Cap |
| 1: Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm | 1: Surgical Apparel: Mask with Eye Shield |
| 1: SharpsAway® II Locking Disposal Cup | 1: Suture: 3-0 Braided Silk with Straight Needle |
| 1: SharpsAway® Disposal Cup | 1: Suture: 3-0 Silk with Curved Needle |
| 1: Maximal Barrier Drape™ with 4" fenestration | 1: HemoHopper® Fluid Receptacle |
| 1: Towel | |
| 1: Needle Holder | |

¹A trademark of Becton, Dickinson and Company.
²A registered trademark of 3M Company.

‡MR Conditional

Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F).

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels.


The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs.



Priming Volume*

Distal	1.70 mL
Proximal	1.60 mL

*Priming volumes are approximate and are done without accessories.



† In vitro tests performed using 3:1 glycerine/saline at 37°C.

