



REF CV-12142-UF

14^{Fr.} 2^{Lumen} 15^{cm catheter length} .038^{inch dia. spring-wire guide}

You-Bend™ Two-Lumen Hemodialysis Catheter for High Volume Infusions

Contents:

- 1: Two-Lumen Catheter†: 14 Fr. (4.72 mm OD) x 15 cm Radiopaque Polyurethane with Blue FlexTip®, Extension Line Clamps
- 1: Spring-Wire Guide, Marked: .038" (0.97 mm) dia. x 27-1/2" (70 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer
- 1: Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- 1: Syringe: 5 mL Luer-Slip
- 1: Tissue Dilator: 14 Fr. (4.7 mm) x 14 cm
- 2: Dust Cap: Non-Vented

All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU

†MR Conditional

Not made with natural rubber latex.

Fluid path components are non-pyrogenic.

Contraindications: The large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels.

- enbgcsdanelfi frde el hu it lt no
- plptro ru sk sl es sv tr



Lumen	Priming Volume* (mL)	Flow Rate (mL/min)	Venous Pressure Setting†† (mmHg)
Distal (10 Ga.)	1.8	250	90
		400	140
Proximal (10 Ga.)	1.7	250	100
		400	160

* Priming volumes are approximate and are done without accessories.
†† Blood flow rates are approximate and were determined by varying the venous pressure setting from 90 to 200 mmHg in an in vitro experiment using blood analog solution.

EU Authorized Representative and Importer:
 Teleflex Medical
IDA Business and Technology Park
Dublin Road, Athlone
2797 Co. Westmeath, Ireland
 Arrow International LLC
Subsidiary of Teleflex Incorporated
3015 Carrington Mill Blvd.
Morrisville, NC 27560 USA

Teleflex®
www.teleflex.com

LBL057795 R01 (2023-09)

