



REF CS-12142-CF

15 cm catheter length .038 inch dia. spring-wire guide

Two-Lumen Hemodialysis Curved Catheter for High Volume Infusions

Contents:

- 1:
- Two-Lumen Catheter, Curved: 14 Fr. (4.72 mm OD) x 15 cm Radiopaque Polyurethane with Blue FlexTip®, Extension Line Clamps Spring-Wire Guide, Marked: .038" (0.97 mm) dia. x 27-1/2" (70 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer Catheter: 16 Ga. x 1-7/8" (4.8 cm) Radiopaque over 19 Ga. RW Introducer Needle Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW Pressure Transduction Probe

- Pressure Transduction Probe
- Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL Tissue Dilator: 16 Fr. (5.3 mm) x 11.4 cm Tissue Dilator: 14 Fr. (4.7 mm) x 14 cm

- Dust Cap: Non-Vented Suture Wing Drape: 24" x 36" (61 cm x 91 cm)
- Scalpel: #11

All components are CE 2797 unless otherwise noted.

Rx			

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU Not made with natural rubber latex.

Fluid path components are non-pyrogenic.

Contraindications: The large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels.

Lumen	Priming Volume* (mL)	Flow Rate (mL/min)	Venous Pressure Setting†† (mmHg)
Distal (10 Ga.)	1.6	250	90
Proximal (10 Ga.)	1.4	400 250 400	130 110 180

^{*} Priming volumes are approximate and are done without accessories.













EU Authorized Representative and Importer:




Teleflex Medical IDA Business and Technology Park Dublin Road, Athlone
Co. Westmeath, Ireland


Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL057893 R02 (2023-10)











^{††} Venous Pressure settings are approximate and were determined by varying the blood flow rates from 250 to 400 mL/min in an in vitro experiment using blood analog solution.