





REF CS-22122-F (IPNXXXXXXX)

16 cm catheter length -035 inch dia. spring-wire guide

## Arrowg+ard Blue® Two-Lumen Hemodialysis Catheter for High **Volume Infusions**

- Two-Lumen Catheter: 12 Fr. (4.06 mm OD) x 16 cm Radiopaque Polyurethane with Blue
- FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment, Extension Line Clamps Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW
- Pressure Transduction Probe
- Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm

- Dust Cap: Non-Vented
  Drape: 24" x 36" (61 cm x 91 cm)
  Scalpel: #11

All components are CE 2797 unless otherwise noted.

×χ	OI	11	У
Wa	rn	iı	ng

Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU California Prop. 65

M WARNING: Cancer and Reproductive Harm.

www.P65Warnings.ca.gov
Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F). Fluid path components are non-pyrogenic.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term (2 30 days) hemodialysis or for use in patients with thrombosed vessels.

The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs.

Lumen	Priming Volume* (mL)	Flow Rate (mL/min)	Venous Pressure Setting†† (mmHg)
Distal (12 Ga.)	1.4	220	100
Proximal (12 Ga.)	1.3	370 220	200 100
Troximar (12 Ga.)	1.0	370	200

<sup>\*</sup> Priming volumes are approximate and are done without accessories





MYYYY-MM-DD

**EU** Authorized Importer:

Teleflex Medical IDA Business and Technology Park Dublin Road, Athlone Co. Westmeath, Ireland

All components are CE 2797 unless

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

**Teleflex**® www.teleflex.com

LBL057980 R02 (2025-06) /









**LOT** Lot Number

**12**<sup>Fr.</sup>

(01)XXXXXXXXXXXXXXX (17)YYMMDD (11)YYMMDD

(10)Lot Number

16 cm catheter length

.035 inch dia. spring-wire guide



<sup>††</sup> Blood flow rates are approximate and were determined by varying the venous pressure setting from 100 to 200 mmHg in an in vitro experiment using blood analog solution.