
Product of XXX Packaged in XXX





ARROW





15 cm catheter length

1038 inch dia. spring-wire quide

Arrowg+ard Blue® Two-Lumen Hemodialysis Curved Catheter for **High Volume Infusions**

- Two-Lumen Catheter: Curved: 14 Fr. (4.72 mm OD) x 15 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment, Extension Line Clamps Spring-Wire Guide, Marked: .038" (0.97 mm) dia. x 27-1/2" (70 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW Pressure Transduction Probe
 Arrow® Raylerson Spring-Wire Introduction Syringe: 5 ml

- Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL Tissue Dilator: 14 Fr. (4.7 mm) x 14 cm Tissue Dilator 16 Fr. (5.3 mm) x 4 1/2" (11.4 cm)

- Dust Cap: Non-Vented Suture Wing Drape: 24" x 36" (61 cm x 91 cm) Scalpel: #11

All components are CE 2797 unless otherwise noted.

Rx	on	ly
----	----	----

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F)

Fluid path components are non-pyrogenic.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels. The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs.


Lumen	Priming Volume* (mL)	Flow Rate (mL/min)	Venous Pressure Setting†† (mmHg)
Distal (10 Ga.)	1.6	250	70
Proximal (10 Ga.)	1.4	400 250 400	100 70 150

^{*} Priming volumes are approximate and are done without accessories













(01)XXXXXXXXXXXXXXX (11)YYMMDD (10)LotNumber



FLI Authorized Importer:



Teleflex Medical IDA Business and Technology Park Dublin Road, Athlone
2797 Co. Westmeath, Ireland

Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



ARR(

LBL057983 R02 (2024-02) /











14 Fr. 2 Lumen

15 cm catheter length

.038 inch dia. spring-wire guide

^{††} Venous Pressure settings are approximate and were determined by varying the blood flow rates from 250 to 400 mL/min in an in vitro experiment using blood analog solution.