



REF CDC-09903-1A

(IPNXXXXXX)

9^{Fr.}10^{cm}
sheath
length.035^{inch dia.}
spring-wire
guide

ARROW
ErgoPack®



PSI Kit for use with 7.5 - 8 Fr. Catheters

Contents:

- | | |
|--|---|
| 1: Arrow-Flex® Sheath: 9 Fr. (2.9 mm tip ID) x 10 cm and Tissue Dilator | 1: Maximal Barrier Drape™ with 4" fenestration |
| 1: Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer | 1: Needle Holder |
| 1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle | 1: Safety Scalpel: #11 |
| 1: Injection Needle: SafetyGlide™ 1 25 Ga. x 1" (2.54 cm) | 1: Stopcock: 4-way High-Flow |
| 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) | 1: Checklist/CLIP Sheet |
| 1: Pressure Transduction Probe | 1: Sterile Procedure Sign |
| 1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe | 1: Medication Label: 1% Lidocaine |
| 1: Injection Needle: SafetyGlide™ 1 23 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe | 2: Gauze Pad: 2" x 2" (5 cm x 5 cm) |
| 1: Syringe: 3 mL Luer-Lock | 5: Gauze Pad: 4" x 4" (10 cm x 10 cm) |
| 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep | 1: Surgical Apparel: Impervious Gown |
| 1: 3 mL Applicator 2% CHG and 70% IPA Chloraprep® ² One-Step Solution with Hi-Lite Orange™ Tint | 1: Surgical Apparel: Bouffant Cap |
| 1: Obturator: 8 Fr. | 1: Surgical Apparel: Mask with Eye Shield |
| 1: Cath-Gard® Catheter Contamination Shield: 80 cm with TwistLock™ Adapter | 1: Suture: 3-0 Silk with Curved Needle |
| 1: Dust Cap: Non-Vented | 1: Tubing: 20" (50 cm) Extension |
| 1: SharpsAway® II Locking Disposal Cup | 1: HemoHopper® Fluid Receptacle |
| 1: SharpsAway® Disposal Cup | ¹ A trademark of Becton, Dickinson and Company. |
| | ² A registered trademark of CareFusion or one of its subsidiaries. |

±Precaution: Contains Phthalate: DEHP.

Warning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.

Not made with natural rubber latex.

Store between 20 – 25°C (68 – 77°F).

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

