

REF CU-23122-F

ARRO

12^{Fr.} 2^{Lumen}

13^{cm}_{catheter} .035^{inch dia.}_{spring-wire} guide

You-Bend[™] Arrowg+ard Blue[®] Two-Lumen Hemodialysis Catheter for **High Volume Infusions**

Contents:

- Two-Lumen Catheter‡: 12 Fr. (4.06 mm OD) x 13 cm Radiopaque Polyurethane with Blue FlexTip®, Arrowg+ard® Antimicrobial Surface Treatment, Extension Line Clamps Spring-Wire Guide, Marked: .035" (0.89 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End "J" Tip on Other) with Arrow Advancer Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle Pressure Transduction Probe Introducer Needle: 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe 1:
- 1:
- 1:
- 1:
- Wire Introduction Syringe Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm
- Dust Cap: Non-Vented Drape: 24" x 36" (61 cm x 91 cm) Scalpel: #11 2: 1:
- All components are CE 2797 unless otherwise noted.

Rx only

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU **‡MR** Conditional

Not made with natural rubber latex.


Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F).

Fluid path components are non-pyrogenic.

Contraindications: The Arrow large-bore two-lumen catheter is not designed for long-term (≥ 30 days) hemodialysis or for use in patients with thrombosed vessels. The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine, and/or sulfa drugs.

Lumen	Priming Volume* (mL)	Flow Rate (mL/min)	Venous Pressure Setting†† (mmHg)
Distal (12 Ga.)	1.5	230 400	100 200
Proximal (12 Ga.)	1.4	230 400	100 200

* Priming volumes are approximate and are done without accessories †† Blood flow rates are approximate and were determined by varying the venous pressure setting from 100 to 200 mmHg in an in vitro experiment using blood analog solution.



REF CU-23122-F



