ARROW

Product of xxx Packaged in xxx





(IPNXXXXXX)

20 cm catheter length

.032 inch dia. spring-wire guide

Arrowg+ard Blue® Five-Lumen CVC

Arrowg+ard Blue® Five-Lumen Catheter: 8.5 Fr. (3.0 mm OD) x 20 cm Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer with ECG Mark

Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW

Syringe: 5 mL Luer-Slip
Tissue Dilator: 9 Fr. (3.0 mm) x 10.2 cm

ECG Extension Cable

Dust Cap: Non-Vented
SecondSite™ Adjustable Hub: Fastener
SecondSite™ Adjustable Hub: Catheter Clamp

Scalpel: #11

All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F)

Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfadrugs.


Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.63	2689	
Medial 1 (14 Ga.)	0.78	4748	
Medial 2 (18 Ga.)	0.38	888	
Medial 3 (18 Ga.)	0.40	1013	
Proximal (18 Ga.)	0.42	988	

^{*} Priming volumes are approximate and are done without accessories













(11)YYMMDD (10)Lot Number



Importer:



Teleflex Medical IDA Business and Technology Park Dublin Road, Athlone
Co. Westmeath, Ireland

Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA



LBL059425 R01 (2024-01) /



Arrowg+ard Blue® Five-Lumen CVC





[†] Flow rate values are approximate and are determined using deionized water at 100 cm head height.