PB-10000-850 8.5 X 10.5

REF CDC-45802-XPN1A (IPNXXXXXX)

8 Fr. 2 Lumen 20 cm catheter length .032 inch dia. spring-wire guide

ARROW

Ergo Pack Complete

Pressure Injectable Arrowg+ard Blue Plus® Two-Lumen CVC

UDI

Contents:

1: Arrowg+ard Blue Plus®[1] Two-Lumen Catheter: 8 Fr. (2.8 mm OD) x 20 cm, Pressure Injectable Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Spring-Wire Guide, Nitinol, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow® GlideWheel™ Wire Advancer Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Injection Needle: SafetyGlide™[2] 25 Ga. x 1" (2.54 cm) Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Pressure Transduction Probe Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Injection Needle: SafetyGlide™[2] 23 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Syringe Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Syringe: 3 mL Luer-Lock Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Tissue Dilator: 9 Fr. (3.0 mm) x 10.2 cm Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
2: 10 mL Luer-Lock Pre-Filled Saline Syringe Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
2: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®[3] One-Step Solution with Hi-Lite Orange™ Tint Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: SecondSite™ Adjustable Hub: Fastener Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: SecondSite™ Adjustable Hub: Catheter Clamp Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: SharpsAway® II Locking Disposal Cup Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: SharpsAway® Disposal Cup Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Maximal Barrier Drape™ with 4" fenestration Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Towel Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Needle Holder Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Safety Scalpel: #11 Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Checklist/CLIP Sheet Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Sterile Procedure Sign Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Medication Label: 1% Lidocaine Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
2: Gauze Pad: 2" x 2" (5 cm x 5 cm) Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
5: Gauze Pad: 4" x 4" (10 cm x 10 cm) Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Surgical Apparel: Impervious Gown Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Dressing: I.V. Advanced 8.5 cm x 11.5 cm Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Dressing: BIOPATCH®[4] Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Transducer Cover: 14 cm x 147 cm Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Surgical Apparel: Mask with Eye Shield Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Surgical Apparel: Bouffant Cap Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Suture: 3-0 Silk with Curved Needle Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: Tubing±: 20" (50 cm) Extension Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX
1: HemoHopper® Fluid Receptacle Origin: XX XXXX XX XXX XXXXXXX XXXXXXXXXX

[1]Licensed under US Patent No. 7,329,412.
[2]A trademark of Becton, Dickinson and Company.
[3]A registered trademark of CareFusion or one of its subsidiaries.
[4]A registered trademark of Johnson & Johnson Corporation.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (14 Ga.)	0.73	5354	10
Proximal (14 Ga.)	0.75	3984	10

* Priming volumes are approximate and are done without accessories.
† Flow rate values are approximate and are determined using deionized water at 100 cm head height.
** Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.

±Precaution: Contains Phthalate: DEHP.
Warning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.
Not made with natural rubber latex.
Store between 20 – 25°C (68 – 77°F).
Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.
Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.

LATEX 20°C (68°F) 25°C (77°F) PHT ± DEHP

LBL061294 R03 (2026-05)