





REF CDC-41552-MPK

(IPNXXXXXX

5.5 Fr. 2 Lumen

15 cm catheter length

.018 inch dia. spring-wir guide

Pressure Injectable Arrowg+ard Blue Advance® Two-Lumen Midline



Contents:

- Two-Lumen TaperFree® Catheter‡‡‡ with Arrowg+ard Blue Advance® Antimicrobial/Antithrombogenic Protection¹: 5.5 Fr. (1.88 mm OD) x 15 cm Pressure Injectable with Blue FlexTip® Feature and Contamination Guard
- GlideThru[™] Peel-Away Sheath: 5.5 Fr. x 2-3/4" (7 cm) Radiopaque over 5.5 Fr. Dilator
- 1: Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End Straight Stiff Tip on Other) with Arrow Advancer
- : Injection Needle: SafetyGlide™2 25 Ga. x 5/8" (1.60 cm)
- 1: Safety Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW
- 1: Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- 1: Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW
- 1: Syringe: 5 mL Luer-Lock
- 2: 10 mL Luer-Lock Pre-Filled Saline Syringe
- 1: 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
- 2: 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®3 One-Step Solution with Hi-I ite Orange™ Tint
- 2: Dust Cap: Non-Vented
- 1: SecondSite™ Adjustable Hub: Fastener
- 1: SecondSite™ Adjustable Hub: Catheter Clamp
- 1: SharpsAway® II Locking Disposal Cup
- 1: SharpsAway® Disposal Cup
- 1: Catheter Trimmer
- 1: Towel: 24" x 36" (61 cm x 91 cm)
- 1: Maximal Barrier Drape™ with two 13 cm (5") x 15 cm (6") fenestrations
- 1: Safety Scalpel: #11
- Sterile Procedure Sign
- 1: Overbed Sign

- 1: Medication Label: 1% Lidocaine
- Patient Information Booklet
- 2: Paper Tape Measure
- 1: Tourniquet
- 10: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 10: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- 1: Surgical Apparel: Impervious Gown
- 1: Dressing: I.V. Advanced 8.5 cm x 11.5 cm
- : Surgical Apparel: Mask with Eye Shield
- Dressing: STATLOCK®4 PICC Plus Catheter Stabilization Device
- 1: Surgical Apparel: Bouffant Cap
- 1: Surgical Apparel: Mask
- 1: Tape: Steri-Strip®5

¹Licensed under US Patent No. 7,329,412 and 11,219,706.

²A trademark of Becton, Dickinson and Company

3A registered trademark of CareFusion or one of its subsidiaries.

⁴A registered trademark of C. R. Bard, Inc.

⁵A registered trademark of 3M Company.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	Pump Flow Rate†† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (18 Ga.)	0.30	1071	5860	5
	0.31	898	6660	not rated

^{*} Priming volumes are approximate and are done without accessories.

###MR Safe

Not made with natural rubber latex.

Store between 20 – 25°C (68 – 77°F).

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrowg+ard Blue Advance Pressure Injectable Midline is contraindicated for patients with known hypersensitivity to chlorhexidine.





LBL062112 R04 (2024-09)

[†] Flow rate values are approximate and are determined using deionized water at 100 cm head height.

^{††} Pump flow rates are determined at maximum pump pressure of 10 psig and represent approximate flow capabilities.

^{**} Pressure injection flow rates are determined using media of 11.8 centipoise (cP) viscosity, with 152 cm administration set tubing.