







(IPNXXXXXX)

55 cm catheter length

.018 inch dia. spring-wire guide

Pressure Injectable Arrowg+ard Blue Advance® Two-Lumen PICC pre-loaded with Arrow[®] NaviCurve[™] Stylet



Contents:

- 1: Two Lumen TaperFree® Catheter‡‡‡ with Arrowg+ard Blue Advance® Antimicrobial/Antithrombogenic Protection¹: 5.5 Fr. (1.88 mm OD) x 55 cm, Pressure Injectable, Arrow® NaviCurve™ Stylet and T-Port Connector
- GlideThru™ Peel-Away Sheath: 5.5 Fr. x 2-3/4" (7 cm) Radiopaque over 5.5 Fr.
- Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End - Straight Stiff Tip on Other) with Arrow Advancer
- Injection Needle: SafetyGlide™2 25 Ga. x 5/8" (1.60 cm) RW
- Safety Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW
- Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm)
- Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW
- Syringe: 5 mL Luer-Lock
- 10 mL Luer-Lock Pre-Filled Saline Syringe
- 5 mL 1% Lidocaine HCl Solution and Alcohol Prep
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®3 One-Step Solution
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®3 One-Step Solution with
- Dust Cap: Non-Vented
- SharpsAway® Disposal Cup
- SharpsAway® II Locking Disposal Cup
- Catheter Trimmer
- Towel: 24" x 36" (61 cm x 91 cm)
- Maximal Barrier Drape™ with two 13 cm (5") x 15 cm (6") fenestrations
- Safety Scalpel: #11
- Sterile Procedure Sign
- Patient ID Card
- 1: Patient Information Booklet

- 1: Medication Label: 1% Lidocaine
- 2: Paper Tape Measure
- Tourniquet
- 1: Foam Electrodes (3 per pack)
- 10: Gauze Pad: 2" x 2" (5 cm x 5 cm)
- 10: Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Surgical Apparel: Impervious Gown
- Dressing: Tegaderm®4 CHG 3-1/2" x 4-1/2" (8.5 cm x 11.5 cm)
- Transducer Cover with Gel and Rubber Bands
- Surgical Apparel: Mask with Eve Shield
- Dressing: STATLOCK®5 PICC Plus Catheter Stabilization Device
- Surgical Apparel: Bouffant Cap
- Surgical Apparel: Mask
- Tape: Steri-Strip®4
- 1: T-Piece Cover

¹Licensed under US Patent No. 7,329,412 and 11,219,706.

- ²A trademark of Becton, Dickinson and Company
- 3A registered trademark of CareFusion or one of its subsidiaries.
- ⁴A registered trademark of 3M Company.
- 5A registered trademark of C. R. Bard, Inc.

Θ	Priming Volume*	Gravity Flow Rate†	Pump Flow Rate††	MAX Pressure Injection Flow Rate**

(mL/hr)

3050

3100

(mL)

0.56

Lumen Pink (18 Ga.)

White (18 Gá.)

(mL/hr)

350

###MR Safe

Not made with natural rubber latex.

Store between 20 - 25°C (68 - 77°F).

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Pressure Injectable Arrowg+ard Blue Advance antimicrobial/antithrombogenic catheter is contraindicated:

· for patients with known hypersensitivity to chlorhexidine

• in the presence of device related infection in the intended insertion vessel or catheter pathway

· in the presence of thrombosis in the intended insertion vessel or catheter pathway





LBL064325 R02 (2024-02)

(mL/sec)



^{*} Priming volumes are approximate and are done without accessories.

[†] Flow rate values are approximate and are determined using deionized water at 100 cm head

^{††} Pump flow rates are determined at maximum pump pressure of 10 psig and represent approximate flow capabilities.

^{**} Pressure injection flow rates are determined at the injector pressure setting of 300 psi maximum using media of 11.8 centipoise viscosity, with 152 cm pressure tubing.