## PB-10000-850 8.5 X 10.5



1.

1.

2:

5

1:

1:

1.

## Contents:

- 1: Arrowg+ard Blue® Three-Lumen Catheter: 12 Fr. (4.1 mm OD) x 16 cm 1: Spring-Wire Guide, Nitinol, Marked: .035" (0.89 mm) dia. x 27-1/2" (70 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow® GlideWheel™ Wire Advancer Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer 1: Needle Injection Needle: SafetyGlide<sup>™1</sup> 25 Ga. x 1" (2.54 cm) Blunt Fill Needle: 18 Ga. x 1-1/2" (3.81 cm) 1: Pressure Transduction Probe 1. Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW and 5 mL Arrow® Raulerson Spring-Wire Introduction Syringe
- Injection Needle: SafetyGlide™1 23 Ga. x 1-1/2" (3.81 cm) and 5 mL Luer-Slip Svringe
- Syringe: 3 mL Luer-Lock
- Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm
- Tissue Dilator: 12 Fr. (4.0 mm) x 14 cm 1.
- 10 mL Luer-Lock Pre-Filled Saline Syringe
- 5 mL 1% Lidocaine HCI Solution and Alcohol Prep
- 3 mL Applicator 2% CHG and 70% IPA ChloraPrep®2 One-Step Solution with 2 Hi-Lite Orange™ Tint
- SharpsAway® II Locking Disposal Cup
- SharpsAway® Disposal Cup 1.
- Maximal Barrier Drape™ with 4" fenestration
- Towe
- 1. Needle Holder
- Safety Scalpel: #11
- Checklist/CLIP Sheet 1.

## ±Precaution: Contains Phthalate: DEHP.

Warning: The results of certain animal experiments have shown phthalates to be potentially toxic to reproduction. Proceeding from the present state of scientific knowledge, risks for male premature infants cannot be excluded in the case of long-term exposure or application. Medical products containing phthalates should be used only temporarily with pregnant women, nursing mothers, babies and infants.

Not made with natural rubber latex. Store between 20 - 25°C (68 - 77°F)

Arrow International provides the enclosed medication label(s) for your convenience. Please ensure that these labels are applied to the correct syringe and corresponding medication.

Contraindications: The Arrowg+ard Blue antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.



## Medication Label: 1% Lidocaine Gauze Pad: 2" x 2" (5 cm x 5 cm) Gauze Pad: 4" x 4" (10 cm x 10 cm) Surgical Apparel: Impervious Gown Dressing: Tegaderm®3 CHG 3-1/2" x 4-1/2" (8.5 cm x 11.5 cm) Transducer Cover: 14 cm x 147 cm

- Surgical Apparel: Mask with Eye Shield 1:
- Surgical Apparel: Bouffant Cap 1.

Sterile Procedure Sign

- 1: Suture: 3-0 Silk with Curved Needle
- 1: Tubing±: 20" (50 cm) Extension
- 1: HemoHopper® Fluid Receptacle
- <sup>1</sup>A trademark of Becton, Dickinson and Company
- <sup>2</sup>A registered trademark of CareFusion or one of its subsidiaries.
- <sup>3</sup>A registered trademark of 3M Company.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.) Medial (12 Ga.)	0.35 1.2	2581 9719	
Proximal (12 Ga.)	1.1	12666	

\* Priming volumes are approximate and are done without accessories.

+ Flow rate values are approximate and are determined using deionized water at 100 cm head height

Erg<sup>®</sup>Pack. Complete

LBL068944 R03 (2025-01)