



(IPNXXXXXX)

50 cm catheter length .018 inch dia. spring-wire guide



Pressure Injectable Two-Lumen PICC

- Two Lumen Catheter: 5 Fr. (1.81 mm OD) x 50 cm, Pressure Injectable, T-Port Connector, Blue FlexTip®, Contamination Guard
- and Placement Wire
 GlideThru™ Peel-Away Sheath: 5 Fr. x 2-3/4" (7 cm) Radiopaque over 5 Fr. Dilator
 Spring-Wire Guide, Nitinol, Marked: .018" (0.46 mm) dia. x 17-3/4" (45 cm) (Straight Soft Tip on One End Straight Stiff Tip on
- Spring-virle Guide, Nitiful, Marked. 3.16 (0.46 min) dia. x 17. Other) with Arrow Advancer Injection Needle: Eclipse™1 25 Ga. x 1" (2.54 cm) Injection Needle: Eclipse™1 25 Ga. x 1" (2.54 cm) Introducer Needle: Echogenic 21 Ga. x 2-3/4" (7 cm) TW Filter Needle: 18 Ga. TW x 1-1/2" (3.81 cm) with Blunt Fill Tip
- Syringe: 10 mL Luer-Lock
- Syringe: 3 mL Luer-Lock
 Syringe: 3 mL Luer-Lock
 SecondSite™ Adjustable Hub: Fastener
 SecondSite™ Adjustable Hub: Catheter Clamp
- SharpsAway® II Locking Disposal Cup SharpsAway® Disposal Cup
- Catheter Trimmer
- Towel: 24" x 36" (61 cm x 91 cm) Drape: 60" x 76" (152 cm x 193 cm)
- Drape: 36" x 41" (91 cm x 104 cm) with 3" x 5" (8 cm x 13 cm) fenestration
- Towel Safety Scalpel: #11
- Patient ID Card
- Sterile Procedure Sign Patient Information Booklet
- Chart Sticker

- PICC Line Insertion Checklist
 - Paper Tape Measure Tourniquet
 - Gauze Pad: 2" x 2" (5 cm x 5 cm)

 - Gauze Pad: 4" x 4" (10 cm x 10 cm)

 Dressing: Tegaderm®² I.V. Advanced 3-1/4" x 4-1/2" (8.5 cm x 11.5 cm)

 Dressing: GRIP-LOK®³ Catheter Fixation Device

 - Surgical Apparel: Cap
 Surgical Apparel: Impervious Gown
 Dressing: Steri-Strip®2 1/2" x 4" (1.2 cm x 10 cm)

 - Surgical Apparel: Mask
 Surgical Apparel: Mask with Shield
 Transducer Cover: 4-12/16" x 95" (12 cm x 244 cm)
 Valve: MicroCLAVE™4 Neutral Displacement Connector
 HemoHopper® Fluid Receptacle

 - ¹A trademark of Becton, Dickinson and Company ²A registered trademark of 3M Company.
 - ³A registered trademark of TIDI.
 - ⁴A trademark of ICU Medical, Inc.
 All components are CE 2797 unless otherwise noted.

Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU

Not made with natural rubber latex. Fluid path components are non-pyrogenic

Contraindications: The Pressure Injectable PICC is contraindicated wherever there is presence of device related infections or presence of thrombosis in the intended insertion vessel or catheter pathway. Clinical assessment of the patient must be completed to ensure no

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	Pump Flow Rate†† (mL/hr)	MAX Pressure Injection Flow Rate** (mL/sec)
Distal (18 Ga.)	0.4	356	3106	4 4
Proximal (18 Ga.)	0.43	396	3490	

* Priming volumes are approximate and are done without accessories. † Flow rate values are approximate and are determined using deionized water at 100 cm head

†† Pump flow rates are determined at maximum pump pressure of 10 psig and represent approximate flow capabilities.

** Pressure injection flow rates are determined at the injector pressure setting of 300 psi maximum using media of 11.8 centipoise viscosity, with 152 cm pressure tubing.



Teleflex Medical IDA Business and EU Authorized Representative and Technology Park
Dublin Road, Athlone
2797 Co. Westmeath, Ireland All components are CE 2797 unless otherwise noted.

> Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA

Product of xxx Packaged in xxx

Teleflex® LBL069883 R04 (2025-01)





S YYYY-MM-DD






YYYY-MM-DD



(01)XXXXXXXXXXXXXXX (10)Lot Number







Pressure Injectable Two-Lumen PICC





