



20 cm catheter length

## Arrowg+ard Blue Plus® Four-Lumen CVC

- Arrowg+ard Blue Plus®1 Four-Lumen Catheter: 8.5 Fr. (3.0 mm OD) x 20 cm
- Spring-Wire Guide, Marked: .032" (0.81 mm) dia. x 23-5/8" (60 cm) (Straight Soft Tip on One End - "J" Tip on Other) with Arrow Advancer with ECG Mark
- Catheter: 18 Ga. x 2-1/2" (6.35 cm) Radiopaque over 20 Ga. RW Introducer Needle
- Introducer Needle: Echogenic 18 Ga. x 2-1/2" (6.35 cm) XTW
- Injection Needle: Eclipse™2 23 Ga. x 1" (2.54 cm) Injection Needle: Eclipse™2 25 Ga. x 1" (2.54 cm)
- Pressure Transduction Probe
- Filter Needle: 18 Ga. TW x 1-1/2" (3.81 cm) with Blunt Fill Tip 1:
- 1: Syringe: 5 mL Luer-Lock
- Syringe: 3 mL Luer-Lock
- Arrow® Raulerson Spring-Wire Introduction Syringe: 5 mL 1.
- Tissue Dilator: 10 Fr. (3.5 mm) x 10.2 cm
- SecondSite™ Adjustable Hub: Fastener
- SecondSite™ Adjustable Hub: Catheter Clamp
- SharpsAway® II Locking Disposal Cup 1:
- SharpsAway® Disposal Cup
- Towel: 13" x 18" (33 cm x 46 cm)
- Maximal Barrier Drape: 55" x 94-1/2" (140 cm x 240 cm) with 4" (10 cm) fenestration, with adhesive and covered perforation
- Needle Holder
- Safety Scalpel: #11
- Stopcock: 4-way High-Flow Sterile Procedure Sign 1.
- Prep Sponge Swab
- Gauze Pad: 2" x 2" (5 cm x 5 cm)

- Gauze Pad: 4" x 4" (10 cm x 10 cm)
- Surgical Apparel: Cap
- Surgical Apparel: Impervious Gown
- Surgical Apparel: Mask with Shield Suture: (0) Silk with Curved Needle
- Tray: Prep

<sup>1</sup>Licensed under US Patent No. 7.329.412.

<sup>2</sup>A trademark of Becton, Dickinson and Company.

All components are CE 2797 unless otherwise noted.


Warning: Read all package insert warnings, precautions, and instructions prior to use. Failure to do so may result in severe patient injury or death. www.teleflex.com/IFU Not made with natural rubber latex.

Store below 25°C (77°F). Avoid excessive heat above 40°C (104°F). Fluid path components are non-pyrogenic.

Contraindications: The Arrowg+ard Blue Plus antimicrobial catheter is contraindicated for patients with known hypersensitivity to chlorhexidine, silver sulfadiazine and/or sulfa drugs.

Lumen	Priming Volume* (mL)	Gravity Flow Rate† (mL/hr)	
Distal (16 Ga.)	0.40	2283	
Medial 1 (14 Ga.)	0.50	4316	
Medial 2 (18 Ga.)	0.36	1079	
Proximal (18 Ga.)	0.39	1162	

<sup>\*</sup> Priming volumes are approximate and are done without accessories.


































(01)XXXXXXXXXXXXXXX (17)YYMMDD (11)YYMMDD (10)Lot Number



EU Authorized Representative and Importer:



All components are CE 2797 unless otherwise noted.

Arrow International LLC Subsidiary of Teleflex Incorporated 3015 Carrington Mill Blvd. Morrisville, NC 27560 USA


> Product of xxx Packaged in xxx



LBL069911 R02 (2025-03)



(IPNXXXXXX) YYYY-MM-DD



(IPNXXXXXX) ≥ YYYY-MM-DD ~

<sup>†</sup> Flow rate values are approximate and are determined using deionized water at 100 cm head